

# SAFETY DATA SHEET

## Газпромнефть Хидравлик 32

Revision  
3

Revision date  
21.07.2023

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Trade name	Gazpromneft Hydraulic-32
REACH registration number	N/A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Hydraulic oil
Uses advised against	N.A.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer	"Gazpromneft - lubricants" LTD, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Email: Lubricants@gazprom-neft.ru Tel.: +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax: +7 495 921-48-63
Supplier	"Deny Trade" LTD, Office: Stara Zagora 6000, 92 Hristo Botev Str., 4th floor Warehouse: Zagora 6000, Kolyo Ganchev district, Agricultural aviation Tel./Fax: 042 606 899 service@maslagaz.com

#### 1.4. Emergency telephone

National emergency telephone	112
National Toxicological Information Center, MHAT and Emergency Medicine "N. I. Pirogov"	Emergency telephone / fax: +359 2 9154 409 Email: poison_centre@mail.orbitel.bg http://www.pirogov.bg

### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Further information	For the full text of the hazard statements and EU hazard statements: see SECTION 16

#### 2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 (CLP)	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Supplemental Hazard information (EU)	Special provisions according to Annex XVII of REACH and subsequent amendments: Restricted to professional users.
Special Provisions	EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

Other hazards	No PBT Ingredients are present
---------------	--------------------------------

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Substances	Not applicable
------------	----------------

#### 3.2. Mixtures

CAS No.	EC No.	Index No.	REACH Registration No.	% [weight]	Substance name	Classification according to Regulation (EC) No 1272/2008 (CLP)
74869-22-0	278-012-2		01-2119495601-36	≥ 90 %	BASE OIL-UNSPECIFIED LUBRICATING OILS	DECLL(*) - Substance classified in accordance with Note L, Annex VI of EC Regulation (EC) 1272/2008. The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

Following inhalation	Remove casualty to fresh air and keep warm and at rest.
Following skin contact	Wash with plenty of water and soap.
Following eye contact	Wash immediately with water.

<b>Following ingestion</b>	Do not induce vomiting, get medical attention showing the SDS and label hazardous.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	
<b>Inhalation acute effects</b>	N.A.
<b>Ingestion acute effects</b>	N.A.
<b>Skin contact acute effects</b>	N.A.
<b>Eye contact acute effects</b>	N.A.
<b>Inhalation delayed effects</b>	N.A.
<b>Ingestion delayed effects</b>	N.A.
<b>Skin contact delayed effects</b>	N.A.
<b>Eye contact delayed effects</b>	N.A.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	
<b>Notes to physician</b>	N.A.

<b>5. FIREFIGHTING MEASURES</b>	
<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	None in particular.
<b>5.2. Special hazards arising from the substance or mixture</b>	
<b>Hazards from the substance or mixture</b>	Do not inhale explosion and combustion gases.
<b>Hazardous combustion products</b>	Burning produces heavy smoke.
<b>5.3. Advice for firefighters</b>	
<b>Special precautions for fire-fighters</b>	Use suitable breathing apparatus .Collect contaminated fire extinguishing water separately. This must not be discharged into drains.Move undamaged containers from immediate hazard area if it can be done safely.

<b>6. ACCIDENTAL RELEASE MEASURES</b>	
<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>Protective equipment for non-emergency personnel</b>	Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
<b>6.2. Environmental precautions</b>	
<b>Environmental precautions</b>	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.Retain contaminated washing water and dispose it.In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.Suitable material for taking up: absorbing material, organic, sand.
<b>6.3. Methods and material for containment and cleaning up</b>	
<b>For containment</b>	Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.
<b>6.4. Reference to other sections</b>	
<b>Reference to other sections</b>	See also section 8 and 13.

<b>7. HANDLING AND STORAGE</b>	
<b>7.1. Precautions for safe handling</b>	
<b>Protective measures</b>	Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working. See also section 8 for recommended protective equipment.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	
<b>Further information on storage conditions</b>	Adequately ventilated premises.
<b>7.3. Specific end use(s)</b>	
<b>Recommendations</b>	None in particular
<b>Industrial sector specific solutions</b>	None in particular

<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>																	
<b>8.1. Control parameters</b>																	
<b>List of components with OEL value</b>																	
<table border="1"> <thead> <tr> <th>Component</th> <th>OEL Type</th> <th>Long Term mg/m<sup>3</sup></th> <th>Long Term ppm</th> <th>Short Term mg/m<sup>3</sup></th> <th>Short Term ppm</th> <th>Behaviour</th> <th>Note</th> </tr> </thead> <tbody> <tr> <td>BASE OIL-UNSPECIFIED LUBRICATING OILS</td> <td>ACGIH</td> <td>5.400</td> <td></td> <td></td> <td></td> <td></td> <td>8H (aerosol)</td> </tr> </tbody> </table>		Component	OEL Type	Long Term mg/m <sup>3</sup>	Long Term ppm	Short Term mg/m <sup>3</sup>	Short Term ppm	Behaviour	Note	BASE OIL-UNSPECIFIED LUBRICATING OILS	ACGIH	5.400					8H (aerosol)
Component	OEL Type	Long Term mg/m <sup>3</sup>	Long Term ppm	Short Term mg/m <sup>3</sup>	Short Term ppm	Behaviour	Note										
BASE OIL-UNSPECIFIED LUBRICATING OILS	ACGIH	5.400					8H (aerosol)										
<b>Predicted No Effect Concentration (PNEC) values</b>																	
<b>Derived No Effect Level (DNEL)</b>																	
<b>8.2. Exposure controls</b>																	

<b>Substance/mixture related measures to prevent exposure during identified uses</b>	Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposure is adequately monitored. Wear protective clothing. Personal protective equipment must conform to the appropriate standards, suitable for specific use and maintained in good condition.
<b>Eye and face protection</b>	Safety Glasses.
<b>Skin protection</b>	Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse.
<b>Hand protection</b>	Not needed for normal use.
<b>Respiratory protection</b>	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.
<b>Technical measures to prevent exposure</b>	Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Colour</b>	Oily
<b>Odour</b>	characteristic
<b>Pour point</b>	<-18°C
<b>Flammability</b>	N.A.
<b>Lower and upper explosion limit</b>	N.A.
<b>Flash point</b>	>=200 °C (392 °F) ( ASTM D92 (Cleveland Open Cup) )
<b>Auto-ignition temperature</b>	>165.00 °C
<b>Decomposition temperature</b>	N.A.
<b>pH</b>	N.A.
<b>Kinematic viscosity</b>	at 100°C: N.A. at 40°C (mm <sup>2</sup> /s) : 28.80-35.20 ( ASTM D445 )
<b>Solubility</b>	Insoluble
<b>Partition coefficient n-octanol/water (log value)</b>	N.A.
<b>Vapour pressure</b>	N.A.
<b>Density and/or relative density</b>	8,712 kg/m <sup>3</sup> ( ASTM D4052 @ 15°C )
<b>Relative vapour density</b>	N.A.
<b>Dynamic viscosity</b>	N.A.
<b>Oxidizing properties</b>	N.A.
<b>Volatile Organic compounds - VOCs</b>	N.A.
<b>9.2. Other information</b>	
<b>Substance Groups relevant properties</b>	N.A.
<b>Evaporation rate</b>	Evaporation rate
<b>Miscibility</b>	N.A.
<b>Conductivity</b>	N.A.

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

<b>Reactivity</b>	Stable under normal conditions
-------------------	--------------------------------

### 10.2. Chemical stability

<b>Chemical stability</b>	Data not Available.
---------------------------	---------------------

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	None.
---	-------

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Stable under normal conditions.
----------------------------	---------------------------------

### 10.5. Incompatible materials

<b>Incompatible materials</b>	None in particular.
-------------------------------	---------------------

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	None.
---	-------

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Products have not been tested. Evaluation has been made through data of components.

<b>Acute toxicity</b>	There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.	
<b>Skin corrosion/irritation</b>	N.A.	
<b>Serious eye damage/irritation</b>	N.A.	
<b>Respiratory or skin sensitisation</b>	N.A.	
<b>Germ cell mutagenicity</b>	N.A.	
<b>Carcinogenicity</b>	N.A.	
<b>Reproductive toxicity</b>	N.A.	
<b>Summary of evaluation of the CMR properties</b>	N.A.	
<b>STOT-single exposure</b>	N.A.	
<b>STOT-repeated exposure</b>	N.A.	
<b>Aspiration hazard</b>	N.A.	
<b>Toxicological information of the mixture</b>	N.A.	
<b>Toxicological information on main components of the mixture</b>	N.A.	

#### Toxicological information on main components of the mixture

Component	Toxicity	Information
BASE OIL-UNSPECIFIED LUBRICATING OIL	a) acute toxicity	LD50 Oral Rat > 5000.00000 mg/kg LD50 Skin Rabbit > 2000.00000 mg/kg

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

<b>Acute (short-term) toxicity</b>	Adopt good working practices, so that the product is not released into the environment.
------------------------------------	---

### List of components with eco-toxicological properties

Component	Identification number	Ecotoxicological information
BASE OIL-UNSPECIFIED LUBRICATING OILS	CAS: 74869-22-0 EINECS: 278-012-2	a) Aquatic acute toxicity : EL50 Daphnia Magna > 10000.00000 mg/L 48h a) Aquatic acute toxicity : NOELR Algae > 100.00000 mg/L 72h a) Aquatic acute toxicity : LL50 Fish > 100.00000 mg/L 96h b) Aquatic chronic toxicity : NOELR Daphnia Magna = 10.00000 mg/L - 21 days b) Aquatic chronic toxicity : NOELR Fish = 10.00000 mg/L

### 12.2. Persistence and degradability

Component	Persistence/Degradability	Test	Duration	Value	Notes
BASE OIL-UNSPECIFIED LUBRICATING OIL	Non-readily biodegradable				

### 12.3. Bioaccumulative potential

<b>Partition coefficient n-octanol /water (log Kow)</b>	N.A.
<b>Bioconcentration factor (BCF)</b>	N.A.

### 12.4. Mobility in soil

<b>Known or predicted distribution to environmental compartments</b>	N.A.
--	------

### 12.5. Results of PBT and vPvB assessment

<b>Results of PBT and vPvB assessment</b>	No PBT Ingredients are present.
---	---------------------------------

### 12.6. Endocrine disrupting properties

<b>12.7. Other adverse effects</b>
------------------------------------

### 12.8. Additional information

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

## 14. TRANSPORT INFORMATION

### 14.1. UN number or ID number

<b>UN number or ID number</b>	N.A.
-------------------------------	------

### 14.2. UN proper shipping name

<b>UN proper shipping name</b>	N.A.
--------------------------------	------

### 14.3. Transport hazard class(es)

<b>Transport hazard class(es)</b>	N.A.
-----------------------------------	------

### 14.4. Packing group

<b>Packing group</b>	N.A.
----------------------	------

### 14.5. Environmental hazards

<b>Environmental hazards</b>	N.A.
------------------------------	------

### 14.6. Special precautions for user

<b>Special precautions for user</b>	N.A.
-------------------------------------	------

**14.7. Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk according to IMO instruments	N.A.
---	------

**15. REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>EU regulations</b>	Not classified as dangerous in the meaning of transport regulations. Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU)2015/830
<b>Wassergefährdungsklasse (water hazard class)</b>	Клас 1: слабо опасен за водата.
<b>Other regulations, restrictions and prohibition regulations</b>	
<b>15.2. Chemical Safety Assessment</b>	

**Chemical Safety Assessment**

Chemical Safety Assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.
----------------------------	--

**16. OTHER INFORMATION**

<p><b>Other information</b></p>	<p>Using the calculation method for the specific hazard classes provided for in Regulation (EC) No 1272/2008, the substance / mixture is not classified as hazardous.</p> <p>This document was prepared by a competent person who has received appropriate training.</p> <p>Main bibliographic sources:</p> <p>ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities</p> <p>SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold</p> <p>This document was prepared by a competent person who has received appropriate training.</p> <p>Main bibliographic sources:</p> <p>ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities</p> <p>SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold</p> <p>The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This MSDS cancels and replaces any preceding release.</p> <p>Legend to abbreviations and acronyms used in the safety data sheet:</p> <p>ACGIH: American Conference of Governmental Industrial Hygienists</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways</p> <p>ATE: Acute Toxicity Estimate</p> <p>ATEmix: Acute toxicity Estimate (Mixtures)</p> <p>BCF: Biological Concentration Factor</p> <p>BEI: Biological Exposure Index</p> <p>BOD: Biochemical Oxygen Demand</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society).</p> <p>CAV: Poison Center</p> <p>CE: European Community</p> <p>CLP: Classification, Labeling, Packaging.</p> <p>CMR: Carcinogenic, Mutagenic and Reprotoxic</p> <p>COD: Chemical Oxygen Demand</p> <p>COV: Volatile Organic Compound</p> <p>CSA: Chemical Safety Assessment</p> <p>CSR: Chemical Safety Report</p> <p>DMEL: Derived Minimal Effect Level</p> <p>DNEL: Derived No Effect Level.</p> <p>DPD: Dangerous Preparations Directive</p> <p>DSD: Dangerous Substances Directive</p> <p>EC50: Half Maximal Effective Concentration</p> <p>ECHA: European Chemicals Agency</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances.</p> <p>ES: Exposure Scenario</p> <p>GefStoffVO: Ordinance on Hazardous Substances, Germany.</p> <p>GHS: Globally Harmonized System of Classification and Labeling of Chemicals.</p> <p>IARC: International Agency for Research on Cancer</p> <p>IATA: International Air Transport Association.</p> <p>IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).</p> <p>IC50: half maximal inhibitory concentration</p> <p>ICAO: International Civil Aviation Organization.</p> <p>ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).</p> <p>IMDG: International Maritime Code for Dangerous Goods.</p> <p>INCI: International Nomenclature of Cosmetic Ingredients.</p> <p>IRCCS: Scientific Institute for Research, Hospitalization and Health Care</p> <p>KAFH: Keep away from heat</p> <p>KSt: Explosion coefficient.</p> <p>LC50: Lethal concentration, for 50 percent of test population.</p> <p>LD50: Lethal dose, for 50 percent of test population.</p> <p>LDLo: Leathal Dose Low</p> <p>N.A.: Not Applicable</p> <p>N/A: Not Applicable</p> <p>N/D: Not defined/ Not available</p> <p>NA: Not available</p> <p>NIOSH: National Institute for Occupational Safety and Health</p> <p>NOAEL: No Observed Adverse Effect Level</p> <p>OSHA: Occupational Safety and Health Administration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>PGK: Packaging Instruction</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>PSG: Passengers</p> <p>RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.</p> <p>STEL: Short Term Exposure limit.</p> <p>STOT: Specific Target Organ Toxicity.</p> <p>TLV: Threshold Limiting Value.</p> <p>TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).</p> <p>vPvB: Very Persistent, Very Bioaccumulative.</p> <p>WGK: German Water Hazard Class.</p>
---------------------------------	---

