

SAFETY DATA SHEET**Gazpromneft Slide Way 68****Revision****4****Revision date**
21.07.2022

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
1.1. Product Identifier	
Trade name	Gazpromneft Slide Way-68
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Recommended use	Slideway oil
1.3. Details of the supplier of the safety data sheet	
Manufacturer	"Gazpromneft - lubricants" LTD, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Email: Lubricants@gazprom-neft.ru Tel.: +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax: +7 495 921-48-63
Supplier	"Deny Trade" LTD, Office: Stara Zagora 6000, 92 Hristo Botev Str., 4th floor Warehouse: Zagora 6000, Kolyo Ganchev district, Agricultural aviation Tel./Fax: 042 606 899 service@maslagaz.com
1.4. Emergency telephone	
National emergency telephone	112
National Toxicological Information Center, MHAT and Emergency Medicine "N. I. Pirogov"	Emergency telephone / fax: +359 2 9154 409 Email: poison_centre@mail.orbitel.bg http://www.pirogov.bg
2. HAZARDS IDENTIFICATION	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 (CLP)	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Further information	For the full text of the hazard statements and EU hazard statements: see SECTION 16
2.2. Label elements	
Precautionary statements	Special provisions according to Annex XVII of REACH and subsequent amendments: Restricted to professional users.
Special Provisions	EUH210 Safety data sheet available on request.
2.3. Other hazards	
Other hazards	No PBT Ingredients are present
3. COMPOSITION/INFORMATION ON INGREDIENTS	
3.1. Substances	
Substances	Not applicable
3.2. Mixtures	
4. FIRST AID MEASURES	
4.1. Description of first aid measures	
Following inhalation	Remove casualty to fresh air and keep warm and at rest.
Following skin contact	Wash with plenty of water and soap.
Following eye contact	Wash immediately with water.
Following ingestion	Do not induce vomiting, get medical attention showing the SDS and label hazardous.
4.2. Most important symptoms and effects, both acute and delayed	
Inhalation acute effects	N.A.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes to physician	N.A.
5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	Water. Carbon dioxide (CO2).
Unsuitable extinguishing media	None in particular.
5.2. Special hazards arising from the substance or mixture	
Hazards from the substance or mixture	Do not inhale explosion and combustion gases. Burning produces heavy smoke.
5.3. Advice for firefighters	
Special precautions for fire-fighters	Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.
6. ACCIDENTAL RELEASE MEASURES	
6.1. Personal precautions, protective equipment and emergency procedures	

Protective equipment for non-emergency personnel				Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.				
6.2. Environmental precautions								
Environmental precautions				Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.				
6.3. Methods and material for containment and cleaning up								
For containment				Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.				
6.4. Reference to other sections								
Reference to other sections				See also section 8 and 13.				
7. HANDLING AND STORAGE								
7.1. Precautions for safe handling								
Protective measures				Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working. See also section 8 for recommended protective equipment.				
7.2. Conditions for safe storage, including any incompatibilities								
Requirements for storage rooms and vessels				Adequately ventilated premises.				
7.3. Specific end use(s)								
Recommendations				None in particular				
Industrial sector specific solutions				None in particular				
8. EXPOSURE CONTROLS/PERSONAL PROTECTION								
8.1. Control parameters								
List of components with OEL value								
Component		OEL Type	Long Term mg/m³	Long Term ppm	Short Term mg/m³	Short Term ppm	Behaviour	Note
BASE OIL-UNSPECIFIED LUBRICATING OIL		ACGIH	5.400					8H (aerosol)
Predicted No Effect Concentration (PNEC) values								
Derived No Effect Level (DNEL)								
Component		CAS No.	Worker Industry	Worker Professional	Consumers	Exposure Route	Exposure Frequency	Remark
BASE OIL LUBRICATING OIL		74869-22-0	5.400 mg/m3		1.200 mg/m3			
8.2. Exposure controls								
Substance/mixture related measures to prevent exposure during identified uses				Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposure is adequately monitored. Wear protective clothing. Personal protective equipment must conform to the appropriate standards, suitable for specific use and maintained in good condition.				
Technical measures to prevent exposure				Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.				
Eye and face protection				Safety Glasses.				
Skin protection				Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse.				
Hand protection				Not needed for normal use.				
Respiratory protection				Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.				
Technical measures to prevent exposure				N.A.				
9. PHYSICAL AND CHEMICAL PROPERTIES								
9.1. Information on basic physical and chemical properties								
Physical State				Liquid				
Appearance and colour				Oily				
Мирис				characteristic				
Melting point/freezing point				N.A. Notes: Pour point < 15 °C				
Boiling point or initial boiling point and boiling range				N.A.				
Flammability				N.A.				
Lower and upper explosion limit				N.A.				
Flash point				>200 °C (392 °F) (ASTM D92 (Cleveland Open Cup))				
Auto-ignition temperature				>344.00 °C				
Decomposition temperature				N.A.				
pH				N.A.				
Kinematic viscosity				at 100°C: N.A. at 40°C (mm2/s): 61,20-74,80 (ASTM D445)				
Solubility				Insoluble				
Partition coefficient n-octanol/water (log value)				N.A.				
Vapour pressure				N.A.				
Density and/or relative density				884.00 kg/m3 (ASTM D4052 @ 15°C)				
Relative vapour density				N.A.				
Dynamic viscosity				N.A.				
Oxidizing properties				N.A.				

Volatile Organic compounds - VOCs	N.A.
9.2. Other information	
Substance Groups relevant properties	N.A.
Evaporation rate	N.A.
Miscibility	N.A.
Conductivity	N.A.

10. STABILITY AND REACTIVITY

10.1. Reactivity
10.2. Chemical stability
10.3. Possibility of hazardous reactions
10.4. Conditions to avoid
10.5. Incompatible materials
10.6. Hazardous decomposition products

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity	There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.
Skin corrosion/irritation	N.A.
Serious eye damage/irritation	N.A.
Respiratory or skin sensitisation	N.A.
Germ cell mutagenicity	N.A.
Carcinogenicity	N.A.
Reproductive toxicity	N.A.
Summary of evaluation of the CMR properties	N.A.
STOT-single exposure	N.A.
STOT-repeated exposure	N.A.
Aspiration hazard	N.A.
Toxicological information of the mixture	N.A.
Toxicological information on main components of the mixture	N.A.

Toxicological information on main components of the mixture

Component	Toxicity	Information
BASE OIL-UNSPECIFIED LUBRICATING OILS	a) acute toxicity	LD50 Oral Rat > 5000.00000 mg/kg LD50 Skin Rabbit > 2000.00000 mg/kg LC50 Inhalation Rat > 5000.00000 mg/m3
BASE OIL-LUBRICATING OIL	a) acute toxicity	LD50 Oral Rat > 5000.00000 mg/kg LD50 Skin Rabbit > 2000.00000 mg/kg LC50 Inhalation Rat > 5000.00000 mg/m3

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Acute (short-term) toxicity	Adopt good working practices, so that the product is not released into the environment.
------------------------------------	---

List of components with eco-toxicological properties

Component	Identification number	Ecotoxicological information
BASE OIL-UNSPECIFIED LUBRICATING OILS	CAS: 74869-22-0 EINECS: 278-012-2	a) Aquatic acute toxicity : EL50 Daphnia Magna > 10000.00000 mg/L 48h a) Aquatic acute toxicity : NOELR Algae > 100.00000 mg/L 72h a) Aquatic acute toxicity : LL50 Fish > 100.00000 mg/L 96h b) Aquatic chronic toxicity : NOELR Daphnia Magna = 10.00000 mg/L - 21days b) Aquatic chronic toxicity : NOELR Fish = 10.00000 mg/L
BASE OIL-LUBRICATING OIL		a) Aquatic acute toxicity : EL50 Daphnia Magna > 10000.00000 mg/L 48h a) Aquatic acute toxicity : NOELR Algae > 100.00000 mg/L 72h a) Aquatic acute toxicity : LL50 Fish > 100.00000 mg/L 96h b) Aquatic chronic toxicity : NOELR Daphnia Magna = 10.00000 mg/L - 21 days b) Aquatic chronic toxicity : NOELR Fish = 10.00000 mg/L

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Bioconcentration factor (BCF)	N.A.
12.4. Mobility in soil	
Known or predicted distribution to environmental compartments	N.A.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment	No PBT Ingredients are present.
12.6. Endocrine disrupting properties	
12.7. Other adverse effects	
12.8. Additional information	

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product/Packaging disposal	Recover if possible. In so doing, comply with the local and national regulations currently in force.
-----------------------------------	--

14. TRANSPORT INFORMATION

14.1. UN number or ID number	
UN number or ID number	N.A.
14.2. UN proper shipping name	

UN proper shipping name	N.A.
14.3. Transport hazard class(es)	
Transport hazard class(es)	N.A.
14.4. Packing group	
Packing group	N.A.
14.5. Environmental hazards	
Environmental hazards	N.A.
14.6. Special precautions for user	
Special precautions for user	N.A.
14.7. Maritime transport in bulk according to IMO instruments	
Maritime transport in bulk according to IMO instruments	N.A.
15. REGULATORY INFORMATION	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
EU regulations	Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Регламент (EC) n. 605/2014 (ATP 6 CLP) Регламент (EC) n. 2016/918 (ATP 8 CLP) Регламент (EC) n. 2016/1179 (ATP 9 CLP) Регламент (EC) n. 2015/1221 (ATP 7 CLP) Регламент (EC) 2015/830
Restrictions of occupation	Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: None Restrictions related to the substances contained: 28
Wassergefährdungsklasse (water hazard class)	Class 1: slightly hazardous for water.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.
16. OTHER INFORMATION	

<p>Other information</p>	<p>Code</p> <p>Description</p> <p>H304 May be fatal if swallowed and enters airways.</p> <p>Code</p> <p>Hazard class and hazard category</p> <p>Description</p> <p>3.10/1 Asp. Tox. 1 Aspiration hazard, Category 1</p> <p>Using the calculation method for the specific hazard classes provided for in Regulation (EC) No 1272/2008, the substance / mixture is not classified as hazardous.</p> <p>This document was prepared by a competent person who has received appropriate training.</p> <p>Main bibliographic sources:</p> <p>ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities</p> <p>SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold</p> <p>The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.</p> <p>This MSDS cancels and replaces any preceding release.</p> <p>This document was prepared by a competent person who has received appropriate training.</p> <p>Main bibliographic sources:</p> <p>ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities</p> <p>SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold</p> <p>The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.</p> <p>This MSDS cancels and replaces any preceding release.</p> <p>Legend to abbreviations and acronyms used in the safety data sheet:</p> <p>ACGIH: American Conference of Governmental Industrial Hygienists</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways</p> <p>ATE: Acute Toxicity Estimate</p> <p>ATEmix: Acute toxicity Estimate (Mixtures)</p> <p>BCF: Biological Concentration Factor</p> <p>BEI: Biological Exposure Index</p> <p>BOD: Biochemical Oxygen Demand</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society).</p> <p>CAV: Poison Center</p> <p>CE: European Community</p> <p>CLP: Classification, Labeling, Packaging.</p> <p>CMR: Carcinogenic, Mutagenic and Reprotoxic</p> <p>COD: Chemical Oxygen Demand</p> <p>COV: Volatile Organic Compound</p> <p>CSA: Chemical Safety Assessment</p> <p>CSR: Chemical Safety Report</p> <p>DMEL: Derived Minimal Effect Level</p> <p>DNEL: Derived No Effect Level.</p> <p>DPD: Dangerous Preparations Directive</p> <p>DSD: Dangerous Substances Directive</p> <p>EC50: Half Maximal Effective Concentration</p> <p>ECHA: European Chemicals Agency</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances.</p> <p>ES: Exposure Scenario</p> <p>GefStoffVO: Ordinance on Hazardous Substances, Germany.</p> <p>GHS: Globally Harmonized System of Classification and Labeling of Chemicals.</p> <p>IARC: International Agency for Research on Cancer</p> <p>IATA: International Air Transport Association.</p> <p>IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).</p> <p>IC50: half maximal inhibitory concentration</p> <p>ICAO: International Civil Aviation Organization.</p> <p>ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).</p> <p>IMDG: International Maritime Code for Dangerous Goods.</p> <p>INCI: International Nomenclature of Cosmetic Ingredients.</p> <p>IRCCS: Scientific Institute for Research, Hospitalization and Health Care</p> <p>KAFH: Keep away from heat</p> <p>KST: Explosion coefficient.</p> <p>LC50: Lethal concentration, for 50 percent of test population.</p> <p>LD50: Lethal dose, for 50 percent of test population.</p> <p>LDLo: Leathal Dose Low</p> <p>N.A.: Not Applicable</p> <p>N/A: Not Applicable</p> <p>N/D: Not defined/ Not available</p> <p>NA: Not available</p> <p>NIOSH: National Institute for Occupational Safety and Health</p> <p>NOAEL: No Observed Adverse Effect Level</p> <p>OSHA: Occupational Safety and Health Administration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>PGK: Packaging Instruction</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>PSG: Passengers</p> <p>RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.</p> <p>STEL: Short Term Exposure limit.</p> <p>STOT: Specific Target Organ Toxicity.</p> <p>TLV: Threshold Limiting Value.</p> <p>TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).</p> <p>vPvB: Very Persistent, Very Bioaccumulative.</p> <p>WGK: German Water Hazard Class.</p> <p>Paragraphs modified from the previous revision:</p> <ul style="list-style-type: none"> - 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING - 2. HAZARDS IDENTIFICATION - 3. COMPOSITION/INFORMATION ON INGREDIENTS - 4. FIRST AID MEASURES - 8. EXPOSURE CONTROLS/PERSONAL PROTECTION - 9. PHYSICAL AND CHEMICAL PROPERTIES - 11. TOXICOLOGICAL INFORMATION - 12. ECOLOGICAL INFORMATION - 15. REGULATORY INFORMATION - 16. OTHER INFORMATION
---------------------------------	--