



## Gazpromneft Premium L 10W-40



Бензинови и дизелови двигатели



Двигателно масло



Усъвършенствани полимери



Всесезонно използване



Полусинтетично масло

### Description

Gazpromneft Premium L 10W-40 is a universal all-season semi-synthetic motor oil designed for maximum protection of gasoline and diesel engines of passenger cars operating in various operating conditions. The oil provides engine cleanliness and high wear protection in accordance with the requirements of car manufacturers. Gazpromneft Premium L 10W-40 is officially licensed by API SL.

### Advantages

- Keeps engine parts clean by preventing deposits and its high cleaning properties.
- Confident cold engine start when using SAE 5W-30 and 5W-40 oils due to high fluidity at low temperatures.
- Possibility of application in a wide range of air temperatures due to the presence of different viscosity classes in the range.
- Excellent engine protection thanks to special polymer molecules that maintain a strong oil film.

### Application



- Cars, SUVs, vans and light trucks of European and other manufacturers.
- Designed for gasoline and diesel engines (with and without turbocharger) in a wide fleet of vehicles where a level of API SL / CF performance properties and lower is required.
- It is recommended for use in Daimler AG car engines that impose additional requirements on motor oils (in accordance with the specified specifications).

### Physico-chemical characteristics

Indicator	Method	Gazpromneft Premium L 10W-40
Kinematic Viscosity at 100 °C, mm <sup>2</sup> /s at 40 °C, mm <sup>2</sup> /s	ASTM D 445 ASTM D 445	14. 4 98.3
Flash Point (COC), °C	ASTM D 92	229
Pour Point, °C	ASTM D 97	- 36
Total Base Number, mg KOH/g	ГОСТ 11362	9.0
Sulfated Ash, wt%	ASTM D 874	1.3
Density at 20 °C, g/cm <sup>3</sup>	ASTM D 4052	0.873
Viscosity Index	ASTM D 2270	151

**Approvals**

- ОАО «АВТОВАЗ»
- Сертифицировано от ААИ

**Specifications**

- SAE 10W-40
- API SL/CF
- MB 229.1
- ПАО «АВТОВАЗ»
- Сертифицировано от ААИ

Brand	Model	Engine type
CHERY	QQ6, CHANCE, M, TENGO, A, INDIS, E5, ARRIZO, RIICH, J11, TIGGO, BOSS, CROSSEASTAR	
CHEVROLET	AVEO, CAPTIVA, LANOS, NIVA, REZZO, VIVA	
DACIA	SUPERNOVA, SOLENZA, SANDERO, LOGAN, DUSTER, LODGYM DOKKER	
DAEWOO	MATIZ, NEXIA, GENTRA	
DAIHATSU	CUORE, MIRA, CHARADE, TREVIS, MOVE, SIRION, YOUNG RV, MATERIA, TERIOS, COPEN	
DATSUN	MI-DO, ON-DO	
FIAT	500, DOBLO, 600, SEICENTO, PANDA, PALIO, ALBEA, SIENA, IDEA, PUNTO, LINEA, BARCHETTA, BRAVO, STILO, MAREA, CROMA, SEDICI, MULTIPLA	
GAZ	3102, 31029, 3110, SIBER	
GEELY	BEAUTY LEOPARD, BORUI, FREE CRUISER, EMGRAND, YUANJIN, VISION, GL EAGLE, HOAQING, LC PANDA, MEIRI ULIOU, KING KONG, JINGYING	
GREAT WALL	FLORID, VOLEEX, COOLBEAR, HAVAL, HOVER	
HONDA	JAZZ, CIVIC, STREAM, ACCORD, LEGEND, HR-V, CR-V, NSX	
HYUNDAI	ACCENT, GETZ, MATRIX, SANTA FE, SONATA, TERRACAN, TUCSON	
KIA	CARENS, CARNAVAL, CERATO, MAGENTIS/OPTIMA, PICANTO, SORENTO, SPECTRA/SEPHIA/SHUMA, SPORTAGE	
LADA	Всички модели	
LIFAN	320, 520, 620, 720	
MAZDA	2,3, 323, 6, ATENZA, CAPELLA, DEMIO, FAMILIA, PREMACY	
MITSUBISHI	AIRTREK, CARISMA, COLT, GALANT, GRANDIS, L200, LANCER, CEDIA, LIBERO, MIRAGE, OUTLANDER, PAJERO, PININ, SPORT, SPACE STAR	
NISSAN	ALMERA, CUBE, EVALIA, JUKE, LEAF, MAXIMA QX, MICRA, MARCH, MURANO, NAVARA, NOTE, PATHFINDER, PATROL, TERRANO, PIXA, PULSAR, PRIMERA, QASHQAI, SKYLINE, TEANA, TIIDA, X-TRAIL	
RENAULT(сглобено РФ)	CLIO, DUSTER, FLUENCE, LAGUNA, LOGAN, MEGANE, SANDERO, SCENIC, SYMBOL	
SUZUKI	ALTO, CELERIO, WAGON, SPLASH, SWIFT, IGNIS, SX4, LIANA, KIZASHI, JIMNY, VITARA, GRAND VITARA	
TAGAZ	VEGA, TAGER	
TOYOTA	AVENSIS, CALDINA, CAMRY, CARINA, COROLLA, CORONA, GAIA, HARRIER, HIGHLANDER, HILUX, IPSUM, IST, LAND CRUISER, MARK, NADIA, NOAH, OPA, PLATZ, PREMIO, PRIUS, RAV 4, SUCCEED, VERSO, VISTA, VITZ, WISH, YARIS	
UAZ	3151, HUNTER, PATRIOT, PICKUP, CARGO	

**The company's management system is certified in accordance with international standards**

ISO 9001



ISO 14001



ISO/TS 16949



OHSAS 18001



Gazpromneft — Lubricants Ltd.  
117218, Moscow, 14/3 Krzhizhanovski Str.,  
Block A  
Tel: +7 (495) 642-99-69  
Fax: +7 (495) 921-48-63

The above data are typical for the current production. Due to continuous research and development, the information provided in the document may be changed.  
Information on the safe use of the product is contained in the Safety Data Sheet. You can get more detailed information from the technical specialists of the company.  
E-mail: [service@maslagaz.com](mailto:service@maslagaz.com) 01/2018