



**SAFETY DATA SHEET**  
according to 1907/2006/EC, Article 31

Page 1/8

**Масло Gazpromneft Premium 5W-40**

Revision 0  
Revision date 01.06.2015

<b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY</b>	
<b>1.1. Product Identifier</b>	
<b>Product name</b>	Масло Gazpromneft Premium 5W-40
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	
<b>Description</b>	Engine oil
<b>1.3. Details of the supplier of the safety data sheet</b>	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. <a href="mailto:Lubricants@gazprom-neft.ru">Lubricants@gazprom-neft.ru</a> Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax +7 495 921-48-63
<b>Only Representative</b>	REACHLaw Ltd. Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland Tel. +358(0) 9 412 3055 Email: <a href="mailto:sds@reachlaw.fi">sds@reachlaw.fi</a>
<b>1.4. Emergency telephone number</b>	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
<b>2. HAZARDS IDENTIFICATION</b>	
<b>2.1. Classification of the substance or mixture</b>	
<b>Regulation (EC) No 1272/2008 (CLP):</b>	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
<b>2.2. Label elements:</b>	
<b>Regulation (EC) No 1272/2008 (CLP):</b>	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Special Provisions: EUH210: Safety data sheet available on request. Contains: calcium long chain alkaryl sulphonate. May produce an allergic reaction.
<b>Ingredient(s) with unknown acute toxicity:</b>	None
<b>2.3 Other hazards</b>	
	No other hazards No PBT/vPvP ingredients are present. Avoid uses not listen in section 1, unless technical expert advice. It's precautionary reduce chemical exposure, in any case.
<b>3. COMPOSITION/INFORMATION ON INGREDIENTS</b>	
<b>3.1 Substances</b>	
	Not applicable: this product is regulated as a mixture.

**Масло Gazpromneft Premium 5W-40**Revision 0  
Revision date 01.06.2015**3.2 Mixtures (EC) No 1272/2008**

Chemical Name	CAS No	EC No	Reach Registration Number	Conc. %w/w	Classification
Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified	64742-54-7	265-157-1	01-2119484627-25	20-30	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified	64742-54-7	265-157-1	01-2119484627-25	55-60	not classified
Polyolefin polyamine succinimide, polyol	proprietary	Polymer	proprietary	1-5	Aquatic Chronic 4, H413
Zinc dialkyl dithiophosphate	68649-42-3	272-028-3	01-2119657973-23-0000	1-1.5	Aquatic Chronic 2 H411; Eye Dam.1 H318
Calcium branched chain alkyl phenate sulfide	proprietary	291-829-9	01-2119524004-56-0000	1-1.5	Aquatic Chronic 4 H413
Alkaryl amine	proprietary	proprietary	*	0.5-1.0	Aquatic Chronic 4 H413
Calcium long chain alkaryl sulfonate	722503-68-6	Polymer	*	0.5-1.0	Aquatic Chronic4 H413; SkinSens. 1 H317
Alkenoic acid ester, borated	proprietary	proprietary	*	0.5-1.0	Aquatic Chronic 4 H413; Skin Irrit.2 H315
Calcium long chain alkaryl sulfonate	proprietary	Polymer	*	0.1-0.15	Aquatic Chronic4 H413
Branched alkylphenol and Calcium branched alkylphenol	74499-35-7 & 132752-19-3	Polymer	*	0.1-0.15	Aquatic Chronic1 H410; Eye Irrit.2 H319; Repr.1B H360; Skin Irrit.2 H315

\*Not available or substance is not currently required for registration under REACH.

**Description**

	All base oils contained in this product have a value of < 3% w DMSO extract according to IP 346/92
--	--

**Further information**

	Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.
--	--

**4. FIRST AID MEASURES****4.1. Description of first aid measures**

<b>Inhalation</b>	Remove casualty to fresh air and keep warm and at rest.
<b>Eye contact</b>	Causes serious eye irritation. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
<b>Skin contact</b>	Immediately take off all contaminated clothing. Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water.
<b>Ingestion</b>	Do not induce vomiting, get medical attention showing the SDS and label hazardous.

**Масло Gazpromneft Premium 5W-40**

Revision 0

Revision date 01.06.2015

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	No further relevant information available
<b>Eye contact</b>	No further relevant information available
<b>Skin contact</b>	No further relevant information available.
<b>Ingestion</b>	No further relevant information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
--	--

**5. FIRE-FIGHTING MEASURES**

<b>5.1. Extinguishing media</b>	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.
<b>5.2. Special hazards arising from the substance or mixture</b>	Do not inhale explosion and combustion gases. Burning produces irritating, toxic and obnoxious fumes.
<b>5.3. Advice for firefighters</b>	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

**6. ACCIDENTAL RELEASE MEASURES**

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	Wear personal protection equipment. Ensure adequate ventilation in the working area. Avoid contact with spilled material. Remove persons to safety. See protective measures under point 7 and 8.
<b>6.2. Environmental precautions</b>	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.
<b>6.3. Methods and material for containment and cleaning up</b>	Use appropriate techniques such as applying noncombustible absorbent materials or pumping. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
<b>6.4. Reference to other sections</b>	See also section 8 and 13

**7. HANDLING AND STORAGE**

<b>7.1. Precautions for safe handling</b>	Avoid contact with skin and eyes, inhalation of vapors and mists. Do not eat or drink while working. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. See also section 8 for recommended protective equipment.
---	--

## Масло Gazpromneft Premium 5W-40

Revision 0  
Revision date 01.06.2015

<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.
<b>7.3. Specific end use(s)</b>	Recommendation(s) None in particular Industrial sector specific solutions: None in particular
<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	
<b>8.1. Control parameters</b>	
<b>Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified</b>	WEL 8-hr limit mg/m <sup>3</sup> : 5.0 (aerosol)
<b>8.2. Exposure controls</b>	
<b>8.2.1. Appropriate engineering controls</b>	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
<b>8.2.2. Individual protection measures:</b>	Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
<b>Eye/face protection</b>	Use close fitting safety goggles, don't use eye lens.
<b>Skin protection-Hand protection</b>	<b>Protection for skin:</b> Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. <b>Protection for hands:</b> Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.
<b>Respiratory protection</b>	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites
<b>Hygienic and Technical measures</b>	Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.
<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
<b>Appearance</b>	Homogenous, viscous liquid
<b>Odour</b>	Characteristic
<b>pH</b>	Not applicable
<b>Pour point</b>	< - 37 °C
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash point</b>	> 200 °C (Cleveland Open Cup, ASTM D 92)
<b>Evaporation rate</b>	Not applicable
<b>Upper/lower flammability</b>	196 °C /224 °C
<b>Vapour density</b>	Not applicable
<b>Vapour pressure</b>	No data available
<b>Relative density</b>	No data available

## Масло Gazpromneft Premium 5W-40

Revision 0  
Revision date 01.06.2015

<b>Solubility</b>	Soluble in hydrocarbons; Insoluble in water
<b>Partition coefficient: n-octanol/water</b>	Not determined
<b>Auto-ignition temperature</b>	> 358 °C
<b>Decomposition temperature</b>	Not applicable
<b>Viscosity (at 100 °C)</b>	13,50-15,50 mm <sup>2</sup> /s (ASTM D 445)
<b>Explosive properties</b>	Not applicable
<b>Oxidizing properties</b>	Not determined
<b>Volatile Organic compounds - VOCs</b>	Not applicable
<b>Other information</b>	
<b>Miscibility</b>	Not applicable
<b>Conductivity</b>	Not applicable
<b>10. STABILITY AND REACTIVITY</b>	
<b>10.1. Reactivity</b>	This product has no significant hazards with respect to reactivity. Stable under normal conditions
<b>10.2. Chemical stability</b>	Stable under normal conditions. Will not decompose if stored and used as recommended.
<b>10.3. Passivity of hazardous reactions</b>	Will not occur. Stable under normal conditions.
<b>10.4. Conditions to avoid</b>	Elevated temperatures, sparks and open flames.
<b>10.5. Incompatible materials</b>	Strong oxidizing agents.
<b>10.6. Hazardous decomposition products</b>	Burning produces irritating, toxic and obnoxious fumes.
<b>11. TOXICOLOGICAL INFORMATION</b>	
<b>11.1. Information on toxicological effects</b>	
<b>Toxicological information on main components of the mixture:</b>	
<b>Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified</b>	Acute oral/rat LD <sub>50</sub> > 2000 mg/kg Acute skin/ rabbit LD <sub>50</sub> > 2000 mg/kg
<b>Acute Toxicity of zinc dialkyl dithiophosphate</b>	Acute skin/rat LD <sub>50</sub> > 2000 mg/kg Acute oral/rat LD <sub>50</sub> = 2230 mg/kg
<b>Acute Toxicity of the mixture</b>	Based on available data, the classification criteria are not met.
<b>Skin corrosion/irritation</b>	Not Applicable
<b>Serious eye damage /irritation</b>	Not Applicable
<b>Respiratory or skin sensitization</b>	May cause sensitization by skin contact. Contains: calcium long chain alkaryl sulphonate. May produce an allergic reaction.
<b>Carcinogenicity</b>	The product is not carcinogenic. Evaluation has been made through data of components. Base oils passed the test IP 346 (DMSO extractible compounds less than 3%) (Note H, L).
<b>Germ cell mutagenicity</b>	Not Applicable
<b>Reproductive toxicity</b>	Not Applicable
<b>STOT-single exposure</b>	Not Applicable

## Масло Gazpromneft Premium 5W-40

Revision 0  
Revision date 01.06.2015

<b>STOT-repeated exposure</b>	Not Applicable
-------------------------------	----------------

<b>Aspiration hazard</b>	Not considered an aspiration hazard.
--------------------------	--------------------------------------

### 12. ECOLOGICAL INFORMATION

<b>12.1. Toxicity</b>	Adopt good working practices, so that the product is not released into the environment.
-----------------------	---

#### List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Info (toxicity)
70-80%	Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified	CAS: 64742-54-7 - EINECS: 265-157-1	EL50 a) Aquatic acute toxicity Worm > 10000 mg/L NOELR a) Aquatic acute toxicity Algae > 100 mg/L LLC a) Aquatic acute toxicity Fish > 100 mg/L NOELR b) Aquatic chronic toxicity Worm 10 mg/L NOELR b) Aquatic chronic toxicity Fish 10 mg/L

**Conclusion/Summary:** Based on available data, the classification criteria are not met.

<b>12.2. Persistence and degradability</b>	No date is available on this product.
--	---------------------------------------

<b>12.3. Bio accumulative potential</b>	No date is available on this product.
---	---------------------------------------

<b>12.4. Mobility in soil</b>	Product floats on water (insoluble) and can entrap small organisms. The product could easily disperse in soil. Products have not been tested. Evaluation has been made through data of components.
-------------------------------	--

<b>12.5. Results of PBT and vPvB assessment</b>	No PBT ingredients are present.
---	---------------------------------

<b>12.6. Other adverse effects</b>	No Components with environmental hazard properties found.
------------------------------------	---

### 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

<b>Disposal methods</b>	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
-------------------------	--

<b>Disposal of packaging</b>	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
------------------------------	--

<b>Further information</b>	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
----------------------------	--

### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

<b>14.1. UN number</b>	Not applicable.
------------------------	-----------------

<b>14.2. UN proper shipping name</b>	ADR-Shipping Name: not applicable. IATA-Technical name: not applicable. IMDG-Technical name: not applicable.
--------------------------------------	--

<b>14.3. Transport hazard class(es)</b>	ADR-Class: not applicable. IATA-Class: not applicable. IMDG-Class: not applicable.
---	--

<b>14.4. Packing group</b>	Not applicable.
----------------------------	-----------------

<b>14.5. Environmental hazards</b>	Marine pollutant: No Environmental Pollutant: No
------------------------------------	---

<b>14.6. Special precautions for user</b>	Not applicable.
---	-----------------

**Масло Gazpromneft Premium 5W-40**

Revision 0

Revision date 01.06.2015

<b>ADR/RID</b>	The product is not classified as dangerous for carriage.
<b>IMDG</b>	The product is not classified as dangerous for carriage.
<b>IATA</b>	The product is not classified as dangerous for carriage.
<b>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>15. REGULATORY INFORMATION</b>	
<b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	<p>Regulation (EC) n. 1907/2006 (REACH)  Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  Regulation (EU) n. 453/2010 (Annex I)  Regulation (EU) n. 286/2011 (ATP 2 CLP)  Regulation (EU) n. 618/2012 (ATP 3 CLP)  Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis), 2003/15/CE (Seveso ter):  German Water Hazard Class. - N.A. Product non subject to Regulations.  Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None</p>
<b>Chemical safety assessment</b>	No data available on this product.
<b>16. OTHER INFORMATION</b>	
<b>Text of Hazard statements in Section 3</b>	<p>H304 May be fatal if swallowed and enters airways.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H360 May damage fertility or the unborn child &lt;state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard&gt;.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H413 May cause long lasting harmful effects to aquatic life.</p>
<b>Legend to abbreviations and acronyms used in the safety data sheet:</b>	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  CAS: Chemical Abstracts Service (division of the American Chemical Society).  CLP: Classification, Labeling, Packaging.  DMSO: Dimethyl sulfoxide.  EC<sub>50</sub>: Half Maximal Effective Concentration.  EINECS: European Inventory of Existing Commercial Chemical Substances.  IATA: International Air Transport Association.  Air Transport Association" (IATA).  IATA-DGR: Dangerous Goods Regulation by the "International  LD<sub>50</sub>: Lethal Dose to 50 % of a test population.</p>

**Масло Gazpromneft Premium 5W-40**

Revision 0

Revision date 01.06.2015

**Legend to abbreviations and acronyms used in the safety data sheet:**

LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.  
 PBT: Persistent, Bioaccumulative and Toxic substance.  
 STOT: Specific Target Organ Toxicity.  
 vPvB: Very Persistent and Very Bioaccumulative.  
 WEL: Workplace Exposure Limit.

**Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP)**

<b>Classification according to Regulation EC 1272/2006 (CLP)</b>	<b>Classification procedure</b>
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).	Calculation method.

**Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

**Revision**

New version