

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Масло И-50А (I-50A)

Page 1/8

Revision5Revision date01.06.2015

| 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY | | |
|--|---|--|
| 1.1. Product identifier | | |
| Trade name: | Масло И-50А (І-50А) | |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against | | |
| Recommended use: | Industrial oil. | |
| Uses advised against: | Not Applicable | |
| 1.3. Details of the supplier of the safe | ety data sheet | |
| Company | "Gazpromneft – lubricants", Ltd, | |
| 1 0 | 125A, Profsoyuznaya str., | |
| | Moscow, 117647, Russia. | |
| | Lubricants@gazprom-neft.ru | |
| Telephone | +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) | |
| Fax | +7 495 642-99-69 | |
| Emergency telephone number | 1-760-476-3962 (America) | |
| | 1-760-476-3961 (Europe, Middle East&Africa) | |
| | 1-760-476-3960 (Asia Pacific): | |
| | Global Response Access Code: 333497 | |
| Only Representative | REACHLaw Ltd. | |
| | Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland | |
| | Tel. +358(0) 9 412 3055 | |
| | Email: sds@reachlaw.fi | |
| 2. HAZARDS IDENTIFICATION | | |
| 2.1. Classification of the substance of | | |
| Regulation EC 1272/2008 (CLP) | The product is not classified as dangerous according to | |
| | Regulation EC 1272/2008 (CLP). | |
| Adverse physicochemical, human | | |
| health and environmental effects: | No other hazards | |
| 2.2. Label elements | | |
| Regulation EC 1272/2008 (CLP) | The product is not classified as dangerous according to | |
| | Regulation EC 1272/2008 (CLP). | |
| | Special Provisions: | |
| | EUH210: Safety data sheet available on request. | |
| Special provisions according to | | |
| Annex XVII of REACH and | | |
| subsequent amendments: | None | |
| 2.3. Other hazards | | |
| | No vPVB / PBT Ingredients are present | |
| | Other Hazards: No other hazards | |
| 3. COMPOSITION/INFORMATIO | N ON INGREDIENTS | |
| 3.1 Substances | | |
| | Not applicable: this product is regulated as a mixture. | |
| | | |

Revision 5 Revision date 01.06.2015

3.2. Mixtures (EC) No 1272/2008

| (EC) N0 1272/2008 | | | | | | |
|---|--------------|------------|-----------|---------------------------------|-----------------|---------------------------|
| Chemical Name | Index.No | CAS No | EC No | Reach Registration Number | Conc. (%w/w) | Classification |
| Base oil - unspecified - lubricating oils | 649-484-00-0 | 74869-22-0 | 278-012-2 | 01-2119495601-36- 0023 | 60-70 | Product is not classified |
| Base oil - unspecified - Residual oils (petroleum), solvent- dewaxed | 649-471-00-X | 64742-62-7 | 265-166-0 | 01-2119480472-38- 0023 | 30-40 | Product is not classified |
| Description | | | | | | |

All base oils contained in this product have a value of < 3% w/w DMSO extract according to IP 346/92

| 4. FIRST AID MEASURES | |
|--|---|
| 4.1. Description of first aid measures | 5 |
| In case of skin contact: | Contact with the skin is not expected to be harmful. No |
| | specific first aid measures are required. As a precaution, |
| | remove contaminated clothes. To remove the material |
| | from skin, use soap and water. Discard contaminated |
| | clothing and shoes or thoroughly clean before reuse. |
| In case of eye contact: | Not expected to cause prolonged or significant eye |
| | irritation. No specific first aid measures are required. As a |
| | precaution, remove contact lenses, if worn, rinse |
| | immediately with plenty of water for 15 minutes holding |
| | the eyelids open. |
| In case of inhalation: | No specific first aid measures are required. If exposed to |
| | excessive levels of material in the air, move the exposed |
| | person to fresh air. Get medical attention if coughing or |
| | respiratory discomfort occurs. |
| In case of ingestion: | No specific first aid measures are required. Do not induce |
| - | vomiting. Rinse mouth with water. Get medical assistance |
| | immediately. |
| 5. FIRE-FIGHTING MEASURES | |

5. FIRE-FIGHTING MEASURES 5.1. Extinguishing media

| 5.1. Extinguishing media | | |
|--|--|--|
| | Suitable extinguishing media: | |
| | Water. Carbon dioxide (CO2). | |
| 5.2. Special hazards arising from the substance or mixture | | |
| | Do not inhale explosion and combustion gases. | |
| | Burning produces heavy smoke. | |
| 5.3. Advice for firefighters | | |
| | Use suitable breathing apparatus. Collect contaminated | |
| | fire extinguishing water separately. This must not be | |
| | discharged into drains. Move undamaged containers from | |
| | immediate hazard area if it can be done safely. | |
| 6. ACCIDENTAL RELEASE MEASURES | | |
| 6.1. Personal precautions, protective equipment and emergency procedures | | |
| | Wear personal protection equipment. Remove persons to | |
| | safety. See protective measures under point 7 and 8. | |
| | | |

Revision5Revision date01.06.2015

| 6.2. Environmental precautions | |
|--|--|
| | Do not allow to enter into soil/subsoil. Do not allow to |
| | enter into surface water or drains. Retain contaminated |
| | washing water and dispose it. In case of gas escape or of |
| | entry into waterways, soil or drains, inform the responsible |
| | authorities. Suitable material for taking up: absorbing |
| 6.3. Methods and material for conta | material, organic, sand |
| 0.5. Methods and material for conta | Suitable material for taking up: absorbing material, |
| | organic, sand |
| | Wash with plenty of water. |
| 6.4. Reference to other sections | |
| | See also section 8 and 13 |
| 7. HANDLING AND STORAGE | |
| 7.1. Precautions for safe handling | |
| | Avoid contact with skin and eyes, inhaltion of vapours and |
| | mists. Do not eat or drink while working. |
| | See also section 8 for recommended protective equipment. |
| 7.2. Conditions for safe storage, incl | |
| | Incompatible materials: None in particular. |
| | Instructions as regards storage premises: Adequately ventilated premises. |
| 7.3. Specific end use(s) | venthated premises. |
| Recommendation(s) | None in particular |
| Industrial sector specific solutions: | None in particular |
| 8. EXPOSURE CONTROLS/PERS | 1 1 |
| 8.1. Control parameters | |
| Exposure limits | $5.4 \text{ mg/m}^3/8\text{h} (\text{aerosol})$ |
| 8.2. Exposure controls | • • • • • • • • • • • • • • • • • • • |
| | |
| | Material should be handled in enclosed vessels and |
| | equipment, in which case general (mechanical) room |
| | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation |
| | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where |
| Eve protection: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. |
| Eye protection: Protection for skin: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. |
| Eye protection: Protection for skin: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is |
| | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact |
| | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is |
| | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber |
| | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. |
| Protection for skin: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination |
| Protection for skin: Protection for hands: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if |
| Protection for skin: Protection for hands: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self- |
| Protection for skin: Protection for hands: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self- contained breathing apparatus for entry into confined |
| Protection for skin: Protection for hands: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended breathing apparatus for entry into confined space, for other poorly ventilated area sand for large spill |
| Protection for skin: Protection for hands: Respiratory protection: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self- contained breathing apparatus for entry into confined space, for other poorly ventilated area sand for large spill clean-up sites |
| Protection for skin: Protection for hands: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self- contained breathing apparatus for entry into confined space, for other poorly ventilated area sand for large spill clean-up sites Wash thoroughly after handling this product. Do not eat, |
| Protection for skin: Protection for hands: Respiratory protection: | equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Safety Glasses. Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Not needed for normal use. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self- contained breathing apparatus for entry into confined space, for other poorly ventilated area sand for large spill clean-up sites |

Revision 5 Revision date 01.06.2015

| | Revision date 01.06.2015 | |
|--|---|--|
| 9. PHYSICAL AND CHEMICAL F | | |
| Appearance | Yellow liquid | |
| Odour | Petroleum odor | |
| рН | Not applicable | |
| Boiling range | Not determined | |
| Flash point | > 225 °C (Cleveland Open Cup) | |
| Flammability | Non flammable | |
| Explosive properties | Not applicable | |
| Oxidising properties | Not applicable | |
| Vapour pressure | <0.01 kPa | |
| Density | <910 kg/m ³ (15 °C) | |
| Solubility | Soluble in most organic solvents | |
| Water solubility | Insoluble | |
| Partition coefficient: | Not applicable | |
| n-octanol/water | | |
| Viscosity | 90 - 110 mm ² /s (40 °C) | |
| Pour point | <-9 °C | |
| Vapour density | Not applicable | |
| Evaporation rate | Not applicable | |
| 10. STABILITY AND REACTIVIT | | |
| 10.1. Reactivity | | |
| v | This product has no significant hazards with respect to | |
| | reactivity. | |
| 10.2. Chemical stability | | |
| | Stable under normal conditions. Will not decompose if | |
| | stored and used as recommended. | |
| 10.3. Possibility of hazardous reacti | ons | |
| | None. | |
| 10.4. Conditions to avoid | | |
| | Keep away from heat/sparks/open flames/hot surfaces. No smoking | |
| 10.5. Incompatible materials | | |
| | No data is available on this product. | |
| 10.6. Hazardous decomposition pro | ducts | |
| | Will not occur. Stable under normal conditions | |
| 11. TOXICOLOGICAL INFORMA | ATION | |
| 11.1. Information on toxicological effects | | |
| Toxicological Information of the | Acute toxicity: | |
| mixture | Acute oral/rat $LD_{50} > 5000 \text{ mg/kg}$ | |
| | Acute dermal/rabbit $LD_{50} > 2000 \text{ mg/kg}$ | |
| | Acute inhalation/rat $LC_{50} > 5000 \text{ mg/m}^3$ | |
| | Not classified. Based on assessment of the components. | |
| Skin corrosion/irritation | Not irritant. Based on assessment of the components. | |
| Serious eye damage/irritation | Not irritant. Based on assessment of the components. | |
| Skin sensitisation | No evidence of sensitization. | |
| | Based on assessment of the components. | |
| | - | |

| Масло И-50А (1-50А) | | |
|--|--|--|
| | Revision 5 | |
| Germ cell mutagenicity | Revision date 01.06.2015 Not Applicable. The mutagenic potential of other lubricant | |
| | base oils has been extensively studied in a range of in vivo | |
| | and in vitro assays. The majority of the studies showed no | |
| | evidence of mutagenic activity. Based on the available | |
| | data, other lubricant base oils are not considered to be | |
| ~ | germ cell mutagens. | |
| Carcinogenicity | Not classified. Non-carcinogenic if DMSO extract as | |
| Danua du ativa taviaitu | measured by IP346 is less than 3 % w/w. | |
| Reproductive toxicity | Not Applicable Not Applicable | |
| STOT-single exposure STOT-repeated exposure | Not Applicable | |
| Aspiration hazard | Not considered an aspiration hazard. | |
| 12. ECOLOGICAL INFORMATIO | | |
| 12.1. Toxicity | | |
| 12.11 TOACHY | Adopt good working practices, so that the product is not | |
| | released into the environment. | |
| | The information given is based on data available for the | |
| | components of the material, and similar materials. | |
| Eco-Toxicological properties of the | Not expected to be harmful to aquatic organisms. | |
| product: | Acute aquatic invertebrate (Daphnia magna, 48h) EL ₅₀ > | |
| | 10 000 mg/l | |
| | Acute aquatic algae NOEL $(72h) > 100 \text{ mg/l}$ | |
| | Acute aquatic fish (96h) $LL_{50} > 100 \text{ mg/l}$ | |
| | Long-term invertebrate (Daphnia magna, 21 days) NOEL | |
| | 10 mg/l Long-term fish NOEL 10 mg/l | |
| | | |
| 12.2. Persistence and degradability | This material is not expected to be readily hisdogradable | |
| | This material is not expected to be readily biodegradable. Substance is a hydrocarbon UVCB. Standard tests for this | |
| | endpoint are intended for single substances and are not | |
| | appropriate for this complex substance. | |
| 12.3. Bioaccumulative potential | | |
| | Substance is a hydrocarbon UVCB. Standard tests for this | |
| | endpoint are intended for single substances and are not | |
| | appropriate for this complex substance. | |
| 12.4. Mobility in soil | | |
| | Substance is a hydrocarbon UVCB. Standard tests for this | |
| | endpoint are intended for single substances and are not | |
| | appropriate for this complex substance. | |
| 12.5. Results of PBT and vPvB asses | | |
| | Anthracene is not present in this substance at greater than 0.1% (see CONCAWE 2010b). No other representative | |
| | 0.1% (see CONCAWE, 2010b). No other representative hydrocarbon structures were found to meet the PBT / | |
| | vPvB criteria. | |
| 13. DISPOSAL CONSIDERATION | | |
| 13.1. Waste treatment methods | | |
| Terre waste treatment methods | Recover if possible. In so doing, comply with the local and | |
| | national regulations currently in force. | |
| | ······································ | |

Revision5Revision date01.06.2015

| | Revision date 01.06.2015 |
|--------------------------------------|---|
| 14. TRANSPORT INFORMATION | |
| Not classified as dangerous in the m | |
| UN number | Not Applicable |
| UN proper shipping name | Not Applicable |
| Transport hazard class(es) | Not Applicable |
| Packing group | Not Applicable |
| ADR/RID | The product is not classified as dangerous for carriage. |
| IMDG | The product is not classified as dangerous for carriage. |
| ΙΑΤΑ | The product is not classified as dangerous for carriage. |
| Transport in bulk according to | |
| Annex II of MARPOL and the IBC | |
| Code | Not Applicable |
| 15. REGULATORY INFORMATIC | |
| Chemical safety assessment | Chemical Safety Report (Part B) Other Lubricant Base |
| | Oils. |
| 16. OTHER INFORMATION | |
| Safety, health and environmental re | gulations/legislation specific for the substance or mixture |
| | Dir. 98/24/EC (Risks related to chemical agents at work) |
| | Dir. 2000/39/EC (Occupational exposure limit values) |
| | Dir. 2006/8/EC |
| | Regulation (EC) n. 1907/2006 (REACH) |
| | Regulation (EC) n. 1272/2008 (CLP) |
| | Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. |
| | 758/2013 |
| | Regulation (EU) n. 286/2011 (ATP 2 CLP) |
| | Regulation (EU) n. 618/2012 (ATP 3 CLP) |
| | Regulation (EU) n. 487/2013 (ATP 4 CLP) |
| | Regulation (EU) n. 944/2013 (ATP 5 CLP) |
| | Regulation (EU) n. 605/2014 (ATP 6 CLP) |
| | Regulation (EU)2015/830 |
| | Provisions related to directive EU 2012/18 (Seveso III): |
| | German Water Hazard Class 1 |
| | Restrictions related to the product or the substances |
| | contained according to Annex XVII Regulation (EC) |
| | 1907/2006 (REACH) and subsequent modifications: |
| | Restrictions related to the product: None |
| References | |
| | Chemical Safety Report (Part B) Other Lubricant Base |
| | Oils. |
| Legend to abbreviations and acrony | |
| | ADR: European Agreement concerning the International |
| | Carriage of Dangerous Goods by Road. |
| | AND: European Agreement concerning the International |
| | Carriage of Dangerous Goods by Inland Waterways |
| | CAS: Chemical Abstracts Service (division of the |
| | American Chemical Society). |
| | CE: European Community |
| | CLP: Classification, Labeling, Packaging. |
| | CMR: Carcinogenic, Mutagenic and Reprotoxic |
| | CSR: Chemical Safety Report |

| Mac | сло И-эџа (1-эџа) |
|-----|--|
| | Revision 5 |
| | Revision date 01.06.2015 |
| Ľ | ONEL: Derived No Effect Level. |
| E | C ₅₀ : Half Maximal Effective Concentration |
| E | CHA: European Chemicals Agency |
| E | EINECS: European Inventory of Existing Commercial |
| C | Chemical Substances. |
| E | S: Exposure Scenario |
| | ATA: International Air Transport Association. |
| | ATA-DGR: Dangerous Goods Regulation by the |
| | International Air Transport Association" (IATA). |
| | C_{50} : half maximal inhibitory concentration |
| | L_{50} : Lethal concentration, for 50 percent of test |
| | opulation. |
| 1 | D_{50} : Lethal dose, for 50 percent of test population. |
| | DLo: Leathal Dose Low |
| | VOAEL: No Observed Adverse Effect Level |
| | OSHA: Occupational Safety and Health Administration. |
| | BT: Persistent, Bioaccumulative and Toxic |
| | PNEC: Predicted No Effect Concentration. |
| | RID: Regulation Concerning the International Transport of |
| | Dangerous Goods by Rail. |
| | • |
| | TEL: Short Term Exposure limit. |
| | TOT: Specific Target Organ Toxicity. |
| | LV: Threshold Limiting Value. |
| V | PvB: Very Persistent, Very Bioaccumulative. |

Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP)

| Classification according to Regulation EC 1272/2006 (CLP) | Classification procedure |
|--|--------------------------|
| The product is not classified as dangerous | |
| according to Regulation EC 1272/2008 | On basic of test data. |
| (CLP). | |

| Further information | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Base oil passed the test IP 346 (DMSO extractible compounds less than 3%). |
|---------------------|---|
| Revision | This document differs from the previous version in the following areas: 1.Identification of the substance/preparation and the company 2. Hazards identification |

| | Revision 5 | | |
|-------|---------------------------------------|--|--|
| | Revision date 01.06.2015 | | |
| 3. C | omposition/information on ingredients | | |
| 4. Fi | rst aid measures | | |
| 5. Fi | refighting measures | | |
| 6. A | ccidental release measures | | |
| 7. H | andling and storage | | |
| 8. E | xposure controls/personal protection | | |
| 9. Pl | hysical and chemical properties | | |
| 10. 5 | Stability and reactivity | | |
| 11. 7 | Toxicological information | | |
| 12.1 | Ecological information | | |
| 13. 1 | Disposal considerations | | |
| 14. 7 | Transport information | | |
| | Regulatory information | | |
| | Other information | | |