



**SAFETY DATA SHEET**  
according to 1907/2006/EC, Article 31

Page 1/4

**Масло Gazpromneft Form Oil 135 (Maslo Gazpromneft Form Oil 135)**

Revision 0  
Revision date 01.10.13

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY**

<b>Product name</b>	Масло Gazpromneft Form Oil 135 (Maslo Gazpromneft Form Oil 135)
<b>Description</b>	Industrial oil
<b>Company</b>	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. <a href="mailto:Lubricants@gazprom-neft.ru">Lubricants@gazprom-neft.ru</a>
<b>Telephone</b>	+7 495 642-99-69 (between 9 AM and 6 PM Moscow time)
<b>Fax</b>	+7 495 642-99-69
<b>Emergency telephone number</b>	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
<b>Only Representative</b>	KPMG Advisory N.V. Laan van Langerhuize 1 1186 DS Amstelveen, The Netherlands Postal address: PO Box 74500, 1070 DB Amsterdam, The Netherlands Tel: +31 20 656 45 21; Fax: +31 20 656 45 10 Mob: +31 6 50 74 93 56 Chris Bonnet Consultant, KPMG Sustainability Member of KPMG Global Sustainability Services™ <a href="mailto:bonnet.christophers@kpmg.nl">bonnet.christophers@kpmg.nl</a>

**2. HAZARDS IDENTIFICATION**

<b>Main hazards</b>	This product is not classified as dangerous according to current European legislation (EEC/1999/45 and EEC/67/548). No Significant Hazard.
---------------------	--

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Hazardous ingredients</b>						
Chemical Name	Index No.	CAS	EINECS	REACH Registration Number	Conc. (% w/w)	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	40-50	DMSO < 3% (IP 346)
Base oil - unspecified - Residual oils (petroleum), solvent-dewaxed	649-471-00-X	64742-62-7	265-166-0	01-2119480472-38-0023	50-60	DMSO < 3% (IP 346)
2,6-di-tert-butyl-p-cresol		128-37-0	204-881-4	Not available	0-0.5 %	Xi; R36

**Масло Gazpromneft Form Oil 135 (Maslo Gazpromneft Form Oil 135)**Revision 0  
Revision date 01.10.13

<b>4. FIRST AID MEASURES</b>	
<b>Skin contact</b>	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothes. Seek medical advice if irritation or symptoms persist.
<b>Eye contact</b>	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical advice if irritation or symptoms persist.
<b>Inhalation</b>	May cause irritation to mucous membranes. Move the exposed person to fresh air.
<b>Ingestion</b>	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Rinse mouth with water. Seek medical assistance immediately.
<b>5. FIRE-FIGHTING MEASURES</b>	
<b>Extinguishing media</b>	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Do not use: water jet.
<b>Fire hazards</b>	Burning produces irritating, toxic and obnoxious fumes.
<b>Protective equipment</b>	Wear suitable respiratory equipment when necessary.
<b>6. ACCIDENTAL RELEASE MEASURES</b>	
<b>Personal precautions</b>	Ensure adequate ventilation of the working area. Surfaces contaminated with the product will become slippery.
<b>Environmental precautions</b>	Do not allow product to enter drains. Prevent further spillage if safe.
<b>Clean up methods</b>	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
<b>7. HANDLING AND STORAGE</b>	
<b>Handling</b>	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.
<b>Storage</b>	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	
<b>Exposure limits</b>	5 mg/m <sup>3</sup> /8h (oil mist) 2,6-di-tret-butyl-p-cresol WEL 8-hr limit mg/m <sup>3</sup> : 10
<b>Engineering measures</b>	Ensure adequate ventilation of the working area.
<b>Hand protection</b>	Chemical resistant gloves (PVC).
<b>Eye protection</b>	In case of splashing, wear: approved safety goggles.
<b>Protective equipment</b>	Wear protective clothing.
<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
<b>Description</b>	Homogenous, viscous liquid with a slight characteristic mineral oil odor.
<b>Flash point</b>	> 230 °C
<b>Viscosity</b>	120,0-150,0 (at 40 °C, mm <sup>2</sup> /s)

**Масло Gazpromneft Form Oil 135 (Maslo Gazpromneft Form Oil 135)**Revision 0  
Revision date 01.10.13

<b>10. STABILITY AND REACTIVITY</b>	
<b>Stability</b>	Stable under normal conditions. Will not decompose if stored and used as recommended.
<b>Reactivity</b>	May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. Hazardous polymerization will not occur.
<b>11. TOXICOLOGICAL INFORMATION</b>	
<b>Acute Toxicity</b>	No data available on this product.
<b>Skin corrosion/irritation</b>	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
<b>Serious eye damage /irritation</b>	No irritation expected.
<b>Respiratory or skin sensitisation</b>	The product has not been tested. Evaluation has been made through data of components.
<b>Carcinogenicity</b>	The product has not expected to be carcinogenic. It has not been tested, evaluation has been made through data of components.
<b>Toxicological Information</b>	2,6-di-tret-butyl-p-cresol Dermal Rat LD50=890-5800 Oral Mouse LD50=650-2000
<b>12. ECOLOGICAL INFORMATION</b>	
<b>Toxicity</b>	2,6-di-tret-butyl-p-cresol Daphnia EC50/48h=0.31 mg/l Algae LC50/72h=0.42 mg/l
<b>Further information</b>	The product has not been tested. Evaluation has been made through data of components.
<b>13. DISPOSAL CONSIDERATIONS</b>	
<b>General information</b>	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
<b>Disposal methods</b>	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
<b>14. TRANSPORT INFORMATION</b>	
<b>ADR/RID</b>	The product is not classified as dangerous for carriage.
<b>IMDG</b>	The product is not classified as dangerous for carriage.
<b>IATA</b>	The product is not classified as dangerous for carriage.
<b>15. REGULATORY INFORMATION</b>	
<b>Labelling</b>	Under the criteria of the directive EEC/67/548 (dangerous substances) and EEC/1999/45 (dangerous preparations): not classified.
<b>Risk phrases</b>	No Significant Hazard.
<b>16. OTHER INFORMATION</b>	
<b>Text of risk phrases in Section 3</b>	R36 – Irritating to eyes.
<b>General information</b>	Base oils passed the test IP 346 (DMSO extractible compounds less than 3%).

**Масло Gazpromneft Form Oil 135 (Maslo Gazpromneft Form Oil 135)**

Revision 0

Revision date 01.10.13

<b>Further information</b>	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
<b>Revision</b>	New version