




SAFETY DATA SHEET
according to 1907/2006/EC, Article 31

Page 1/7

Масло Gazpromneft Ecogas 15W-40

Revision 0
Revision date 01.06.2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY	
1.1. Product Identifier	
Product name	Масло Gazpromneft Ecogas 15W-40
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Description	Engine oil
1.3. Details of the supplier of the safety data sheet	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Lubricants@gazprom-neft.ru Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax +7 495 921-48-63
Only Representative	REACHLaw Ltd. Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland Tel. +358(0) 9 412 3055 Email: sds@reachlaw.fi
1.4. Emergency telephone number	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
2. HAZARDS IDENTIFICATION	
2.1. Classification of the substance or mixture	
Regulation (EC) No 1272/2008 (CLP):	Eye Irrit.2 - Causes serious eye irritation.
2.2. Label elements:	
Regulation (EC) No 1272/2008 (CLP):	Pictograms and Signal Words:  Warning H319 Causes serious eye irritation. P280 Wear protective gloves/protective clothing/eye protection/face protection. P337+P313 If eye irritation persists: Get medical advice/attention. P264 Wash hands thoroughly after handling.
Ingredient(s) with unknown acute toxicity:	None
2.3 Other hazards	
	No other hazards No PBT/vPvP ingredients are present. Avoid uses not listed in section 1, unless technical expert advice. It's precautionary reduce chemical exposure, in any case.

Масло Gazpromneft Ecogas 15W-40

Revision 0
Revision date 01.06.2015

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable: this product is regulated as a mixture.

3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. (%w/w)	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	80-90	Product is not classified
Zinc dialkyl dithiophosphate	-	68649-42-3	272-028-3	proprietary	1-1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Calcium long-chain alkylphenate sulfide	-	Proprietary	Proprietary	Proprietary	0.5-1	Aquatic Chronic 4, H413
Organomolybdenum amide	-	Proprietary	Proprietary	Proprietary	0.5-1	Aquatic Chronic 2, H411

Description

All base oils contained in this product have a value of < 3% w DMSO extract according to IP 346/92

Further information

Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Remove casualty to fresh air and keep warm and at rest.
Eye contact	Causes serious eye irritation. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
Skin contact	Immediately take off all contaminated clothing. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water.
Ingestion	Do not induce vomiting, get medical attention showing the SDS and label hazardous.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No further relevant information available
Eye contact	Eye irritation. Eye damages
Skin contact	No further relevant information available.
Ingestion	No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Масло Gazpromneft Ecogas 15W-40

Revision 0

Revision date 01.06.2015

5. FIRE-FIGHTING MEASURES	
5.1. Extinguishing media	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO ₂); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.
5.2. Special hazards arising from the substance or mixture	Do not inhale explosion and combustion gases. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.
6. ACCIDENTAL RELEASE MEASURES	
6.1. Personal precautions, protective equipment and emergency procedures	Wear personal protection equipment. Ensure adequate ventilation in the working area. Avoid contact with spilled material. Remove persons to safety. See protective measures under point 7 and 8.
6.2. Environmental precautions	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.
6.3. Methods and material for containment and cleaning up	Use appropriate techniques such as applying noncombustible absorbent materials or pumping. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	See also section 8 and 13
7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	Avoid contact with skin and eyes, inhalation of vapors and mists. Do not eat or drink while working. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. See also section 8 for recommended protective equipment.
7.2. Conditions for safe storage, including any incompatibilities	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
7.3. Specific end use(s)	No data is available on this product.
8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
8.1. Control parameters	
Base oil - unspecified - lubricating oils	WEL 8-hr limit mg/m ³ : 5.4 (aerosol)

Масло Gazpromneft Ecogas 15W-40

Revision 0
Revision date 01.06.2015

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
8.2.2. Individual protection measures:	Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
Eye/face protection	Use close fitting safety goggles, don't use eye lens.
Skin protection-Hand protection	Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Wash hands after handling the product.
Respiratory protection	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Hygienic and Technical measures	Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.
9. PHYSICAL AND CHEMICAL PROPERTIES	
Appearance	Homogenous, viscous liquid
Odour	Characteristic
pH	Not applicable
Pour point	< - 30 °C
Initial boiling point and boiling range	Not applicable
Flash point	> 210 °C (Cleveland Open Cup, ASTM D 92)
Evaporation rate	Not applicable
Upper/lower flammability	196°C / 244°C
Vapour density	Not applicable
Vapour pressure	No data available
Relative density	No data available
Solubility	Soluble in hydrocarbons; Insoluble in water
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature	> 358 °C
Decomposition temperature	Not applicable
Viscosity (at 100 °C)	13,50-15,50 mm ² /s (ASTM D 445)
Explosive properties	Not applicable
Oxidizing properties	Not determined
Volatile Organic compounds - VOCs	Not applicable

Масло Gazpromneft Ecogas 15W-40

Revision 0
Revision date 01.06.2015

Other information

Miscibility	Not applicable
Conductivity	Not applicable
10. STABILITY AND REACTIVITY	
10.1. Reactivity	This product has no significant hazards with respect to reactivity. Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions. Will not decompose if stored and used as recommended.
10.3. Passivity of hazardous reactions	Will not occur. Stable under normal conditions.
10.4. Conditions to avoid	Elevated temperatures, sparks and open flames.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	Burning produces irritating, toxic and obnoxious fumes.
11. TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects	
Acute Toxicity	There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.
Acute Toxicity of base oils	Acute oral/rat LD ₅₀ > 5000 mg/kg Acute dermal/rabbit LD ₅₀ > 2000 mg/kg Acute inhalation/rat LC ₅₀ > 5000 mg/m ³
Acute Toxicity of zinc dialkyl dithiophosphate	Acute skin/rat LD ₅₀ > 2000 mg/kg Acute oral/rat LD ₅₀ = 2230 mg/kg
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage /irritation	Causes serious eye irritation.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Carcinogenicity	The product is not carcinogenic. Evaluation has been made through data of components. Base oils passed the test IP 346 (DMSO extractible compounds less than 3%) (Note H, L).
Germ cell mutagenicity	Not Applicable
Reproductive toxicity	Not Applicable
STOT-single exposure	Not Applicable
STOT-repeated exposure	Not Applicable
Aspiration hazard	Not Applicable
12. ECOLOGICAL INFORMATION	
12.1. Toxicity	Adopt good working practices, so that the product is not released into the environment.

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Info (toxicity)
0.5-1	Organomolybdenum amide	Proprietary	Acute EC50 1.5 mg/L (Algae 72 hours) Acute EC50 1.5 mg/L (Daphnia 48 hours) Acute LC50 >10 mg/L (Fish 96 hours)

Масло Gazpromneft Ecogas 15W-40Revision 0
Revision date 01.06.2015

12.2. Persistence and degradability	No date is available on this product.
12.3. Bio accumulative potential	No date is available on this product.
12.4. Mobility in soil	Do not let product contaminate subsoil.
12.5. Results of PBT and vPvB assessment	No PBT ingredients are present.
12.6. Other adverse effects	No Components with environmental hazard properties found.
13. DISPOSAL CONSIDERATIONS	
13.1. Waste treatment methods	
Disposal methods	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
Further information	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
14. TRANSPORT INFORMATION	
Not classified as dangerous in the meaning of transport regulations.	
14.1. UN number	Not applicable.
14.2. UN proper shipping name	ADR-Shipping Name: not applicable. IATA-Technical name: not applicable. IMDG-Technical name: not applicable.
14.3. Transport hazard class(es)	ADR-Class: not applicable. IATA-Class: not applicable. IMDG-Class: not applicable.
14.4. Packing group	Not applicable.
14.5. Environmental hazards	Marine pollutant: No Environmental Pollutant: No
14.6. Special precautions for user	Not applicable.
ADR/RID	The product is not classified as dangerous for carriage.
IMDG	The product is not classified as dangerous for carriage.
IATA	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
15. REGULATORY INFORMATION	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis), 2003/15/CE (Seveso ter): German Water Hazard Class. - N.A. Product non subject to Regulations.

Масло Gazpromneft Ecogas 15W-40Revision 0
Revision date 01.06.2015

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None
Chemical safety assessment	No data available on this product.
16. OTHER INFORMATION	
Text of Hazard statements in Section 3	H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life
Legend to abbreviations and acronyms used in the safety data sheet:	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service (division of the American Chemical Society). CLP: Classification, Labeling, Packaging. DMSO: Dimethyl sulfoxide. EC ₅₀ : Half Maximal Effective Concentration. EINECS: European Inventory of Existing Commercial Chemical Substances. IATA: International Air Transport Association. Air Transport Association" (IATA). IATA-DGR: Dangerous Goods Regulation by the "International LD ₅₀ : Lethal Dose to 50 % of a test population. LC ₅₀ : Lethal Concentration to 50 % of a test population. PBT: Persistent, Bioaccumulative and Toxic substance. STOT: Specific Target Organ Toxicity. vPvB: Very Persistent and Very Bioaccumulative. WEL: Workplace Exposure Limit.
Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
Revision	New version