

# **SAFETY DATA SHEET** according to 1907/2006/EC, Article 31

Page 1/7

#### Масло Gazpromneft ATF DX II

Revision 0 Revision date 25.09.2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY		
1.1. Product Identifier		
Product name	Масло Gazpromneft ATF DX II	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Description	Automatic transmission fluid.	
1.3. Details of the supplier	"Gazpromneft – lubricants", Ltd,	
of the safety data sheet	125A, Profsoyuznaya str.,	
,	Moscow, 117647, Russia.	
	<u>Lubricants@gazprom-neft.ru</u>	
	Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time)	
	Fax +7 495 921-48-63	
Only Representative	REACHLaw Ltd.	
	Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland	
	Tel. +358(0) 9 412 3055	
	Email: sds@reachlaw.fi	
1.4. Emergency telephone	1-760-476-3962 (America)	
number	1-760-476-3961 (Europe, Middle East&Africa)	
	1-760-476-3960 (Asia Pacific):	
	Global Response Access Code: 333497	
2. HAZARDS IDENTIFICATION		
2.1. Classification of the sub		
Regulation (EC) No	The product is not classified as dangerous according to Regulation	
1272/2008 (CLP):	EC 1272/2008 (CLP).	
2.2. Label elements:	EC 12/2/2000 (CEI ).	
Regulation (EC) No	The product is not classified as dangerous according to Regulation	
1272/2008 (CLP):	EC 1272/2008 (CLP).	
12/2/2006 (CLI).	Special Provisions: EUH210: Safety data sheet available on	
	_ ·	
A decours a bession abouting	request.	
Adverse physicochemical, human health and		
	No other hazarda	
environmental effects:	No other hazards	
Ingredient(s) with	NT.	
unknown acute toxicity:	None	
2.3 Other hazards		
	No Significant Hazard	
Further information		
	This substance/mixture does not meet the PBT/vPvB criteria of	
	REACH, annex XIII.	
	MATION ON INGREDIENTS	
3.1 Substances		
	Not applicable: this product is regulated as a mixture.	

Revision 0 Revision date 25.09.2015

	3.2 Mixtures	(EC)	No	1272/2008
--	--------------	------	----	-----------

3.2 Mixtures (EC) No 1272/2008						
Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. (%w/w)	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601- 36-0023	45-50	Asp. Tox 1 H304
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601- 36-0023	45-50	Product is not classified
Bis(nonylphenyl) amine	-	-	253-249-4	01-2119488911- 28	0.1-1.0	Aquatic Chronic 4, H413
Description				I		
				nined in this proording to IP 346		ve a value of < 3% w
Further inform	mation					
			for all Haz I in Section		, mentione	d in this section, are
4. FIRST AID	MEASURE		i ili Scetioi	110.		
4.1. Description						
Inhalation		Remove casualty to fresh air and keep warm and at rest.				
Eye contact	Wash im	Wash immediately with water.				
Skin contact	Wash wit	Wash with plenty of water and soap.				
Ingestion Do not induce vomiting, get medical attention showing the and label hazardous.					tion showing the SDS	
4.2. Most important symptoms and effects, both acute and delayed						
Inhalation No further relevant information available.						
Eye contact No further relevant information available.						
Skin contact		No further relevant information available.				
Ingestion	No further relevant information available.					
4.3. Indication of any immediate medical attention and special treatment needed						
Seek medical attention if irritation or symptoms persist						
5. FIRE-FIGHTING MEASURES					1 1 6	
5.1. Extinguis	Ü	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.				
5.2. Special ha arising from t or mixture		Burning produces irritating, toxic and obnoxious fumes. Combustion products highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion.				

Revision 0 Revision date 25.09.2015

	Revision date 25.09.2015
5.3. Advice for firefighters	Wear suitable respiratory equipment when necessary. Do not enter
	any enclosed or confined fire space without proper protective
	equipment, including self-contained breathing apparatus. Collect
	contaminated fire extinguishing water separately. This must not be
	discharged into drains. Move undamaged containers from
	immediate hazard area if it can be done safely.
6. ACCIDENTAL RELEAS	
<b>6.1. Personal precautions,</b>	Eliminate all sources of ignition in vicinity of spilled material.
protective equipment and	Ensure adequate ventilation of the working area. Surfaces
emergency procedures	contaminated with the product will become slippery. Wear
	personal protection equipment. See protective measures under
	point 7 and 8.
6.2. Environmental	Do not allow to enter into soil/subsoil. Do not allow to enter into
precautions	surface water or drains. Retain contaminated washing water and
	dispose it. In case of entry into waterways, soil or drains, inform
	the responsible authorities. Suitable material for taking up:
	absorbing material, organic, sand.
6.3. Methods and material	Use appropriate techniques such as applying noncombustible
for containment and	absorbent materials or pumping. Sweep up. Transfer to suitable,
cleaning up	labeled containers for disposal. Clean spillage area thoroughly
	with plenty of water.
6.4. Reference to other	See also section 8 and 13
sections 7. HANDLING AND STOR	ACE
7.1. Precautions for safe	Avoid contact with skin and eyes, inhalation of vapors and mists.
handling	Contaminated clothing should be changed before entering eating
nanunng	areas. Do not eat or drink while working. See also section 8 for
	recommended protective equipment.
7.2 ( 1:4: 6 6-	Keep in a cool, dry, well-ventilated area. Keep containers tightly
7.2. Conditions for safe	
7.2. Conditions for safe storage, including any	_ = = = = = = = = = = = = = = = = = = =
storage, including any	closed. Stored in correctly labeled containers.
storage, including any incompatibilities	closed. Stored in correctly labeled containers.
storage, including any incompatibilities 7.3. Specific end use(s)	_ = = = = = = = = = = = = = = = = = = =
storage, including any incompatibilities 7.3. Specific end use(s)	closed. Stored in correctly labeled containers.  No further relevant information available.
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL	closed. Stored in correctly labeled containers.  No further relevant information available.
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.  Wear protective clothing. Personal protective equipment should
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.  Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls  8.2.2. Individual protection measures:	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.  Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls	closed. Stored in correctly labeled containers.  No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.  Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.  Not needed for normal use. Anyway, operate according good
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls  8.2.2. Individual protection measures:	No further relevant information available.  S/PERSONAL PROTECTION  WEL 8-hr limit mg/m³: 5.4 (aerosol)  Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.  Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Page 4/7 Revision 0 Revision date 25.09.2015

	Revision date 25.09.2015
Skin protection-Hand	<b>Protection for skin:</b> Use nitrile or neoprene gloves. Long sleeve
protection	shirt is recommended. Wear a chemically protective when contact
	with material may occur. Use neoprene or nitrile rubber boots
	when necessary to avoid contaminating shoes. Launder
	contaminated clothing before reuse.
	<b>Protection for hands:</b> Not needed for normal use.
Respiratory protection	Use in ventilated area. Use respirator with a combination organic
	vapor and high efficiency filter cartridge just if recommended
	exposure limit is exceeded. Use self-contained breathing apparatus
	for entry into confined space, for other poorly ventilated areas and
	for large spill clean-up sites.
Hygienic and Technical	Wash thoroughly after handling this product. Do not eat, drink or
measures	smoke when using this product.
9. PHYSICAL AND CHEM	ICAL PROPERTIES
Appearance	Red liquid
Odour	Petroleum odor
pН	Not applicable
Pour point	< - 40 °C
Initial boiling point and	Not applicable
boiling range	
Flash point	> 190 °C (Cleveland Open Cup, ASTMD 92)
<b>Evaporation rate</b>	Not applicable
Upper/lower flammability	Not determined
Vapour density	Not applicable
Vapour pressure	<0.01 kPa
Relative density	$< 880 \text{ kg/m}^3 (20  ^{\circ}\text{C})$
Solubility in water	Insoluble
Partition coefficient: n-	Not determined
octanol/water	
<b>Auto-ignition temperature</b>	> 328 °C
Decomposition	Not applicable
temperature	
Viscosity (at 100 °C)	$6.70 - 7,50 \text{ mm}^2/\text{s} \text{ (ASTM D 445)}$
<b>Explosive properties</b>	Not applicable
Oxidizing properties	Not determined
Volatile Organic	Not applicable
compounds - VOCs	11
Other information	
Miscibility	Not applicable
Conductivity	Not applicable
10. STABILITY AND REA	CTIVITY
10.1. Reactivity	This product has no significant hazards with respect to reactivity.
	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions. Will not decompose if stored and
	used as recommended.
10.3. Passivity of	Will not occur. Stable under normal conditions.
hazardous reactions	
10.4. Conditions to avoid	Elevated temperatures, sparks and open flames.

Revision 0 Revision date 25.09.2015

10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	Burning produces irritating, toxic and obnoxious fumes.
11. TOXICOLOGICAL IN	FORMATION
11.1. Information on toxicol	
<b>Acute Toxicity of base oils</b>	Acute oral/rat LD <sub>50</sub> > 5000 mg/kg
·	Acute dermal/rabbit LD <sub>50</sub> > 2000 mg/kg
	Acute inhalation/rat $LC_{50} > 5000 \text{ mg/m}^3$
<b>Acute Toxicity of the</b>	Based on available data, the classification criteria are not met.
mixture	Products have not been tested. Evaluation has been made through
	data of components.
Skin corrosion/irritation	Avoid direct contact. Repeated or prolonged skin contact may
	cause irritation. Contact with heated product may cause thermal
	burns. Based on data from components or similar materials.
Serious eye	Vapors may cause eye damage/irritation. Evaluation is based on
damage/irritation	data from components or similar materials.
Respiratory or skin	Skin: Products have not been tested. Evaluation has been made
sensitization	through data of components.
	Respiratory: No data available to indicate product or components
	may be respiratory sensitizers.
Carcinogenicity	This product contains mineral oils which are severely refined and
	not considered to be carcinogenic under IARC. All components in
	this product have been passed the test IP346 (DMSO extractible
	compounds less than 3%).
Germ cell mutagenicity	Not Applicable.
Reproductive toxicity	Not Applicable
STOT-single exposure	Not Applicable
STOT-repeated exposure	Not Applicable
Aspiration hazard	Not considered an aspiration hazard.
12. ECOLOGICAL INFOR	
12.1. Toxicity	Adopt good working practices, so that the product is not released
	into the environment.

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
85-90%	Base oil - unspecified - lubricating oils	CAS: 74869-22-0 EINECS: 278-012-2	EL <sub>50</sub> a) Aquatic acute toxicity Daphnia magna, 48hr> 10000 mg/L 48h NOELR a) Aquatic acute toxicity Algae Algae> 100 mg/L 72h LL <sub>50</sub> a) Aquatic acute toxicity Fish > 100 mg/L 96h NOELR b) Aquatic chronic toxicity Daphnia magna, 21 days= 10mg/L NOELR b) Aquatic chronic toxicity Fish = 10 mg/L

**Conclusion/Summary:** Based on available data, the classification criteria are not met. Products have not been tested. Evaluation has been made through data of components.

12.2.	. Persistence and	Base oil - unspecified - lubricating oils: non-readily biodegradable.
degr	adability	
12.3.	. Bio accumulative	No date is available on this product.
pote	ntial	
12.4.	. Mobility in soil	Product floats on water (insoluble) and can entrape small
		organisms. The product could easily disperse in soil. Products
		have not been tested. Evaluation has been made through data of
		components.

Revision 0 Revision date 25.09.2015

	Revision date 25.09.2015
12.5. Results of PBT and	No PBT Ingredients are present.
vPvB assessment	
12.6. Other adverse effects	No components with environmental hazard properties.
13. DISPOSAL CONSIDER	RATIONS
13.1. Waste treatment meth	ods
Disposal methods	Dispose of in compliance with all local and national regulations.
	Contact a licensed waste disposal company.
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for
Disposar of packaging	disposal or recycling.
Further information	For disposal within the EC, the appropriate code according to the
ruttiei iiioi iiatioii	European Waste Catalogue (EWC) should be used.
14 TD ANCRODE INFORM	
14. TRANSPORT INFORM	
	the meaning of transport regulations.
14.1. UN number	Not applicable.
14.2. UN proper shipping	Not applicable.
name	
14.3. Transport hazard	Not applicable.
class(es)	
14.4. Packing group	Not applicable.
14.5. Environmental	Marine pollutant: No
hazards	Environmental Pollutant: No
14.6. Special precautions	Not applicable.
for user	Not applicable.
ADR/RID	The product is not elegatical as democracy for corriege
	The product is not classified as dangerous for carriage.
IMDG	The product is not classified as dangerous for carriage.
IATA	The product is not classified as dangerous for carriage.
15. REGULATORY INFOR	
15.1. Safety, health and	Dir. 98/24/EC (Risks related to chemical agents at work)
environmental	Dir. 2000/39/EC (Occupational exposure limit values)
regulations/legislation	Dir. 2006/8/EC
specific for the substance	Regulation (EC) n. 1907/2006 (REACH)
or mixture	Regulation (EC) n. 1272/2008 (CLP)
	Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
	Regulation (EU) n. 453/2010 (Annex I)
	Regulation (EU) n. 286/2011 (ATP 2 CLP)
	Regulation (EU) n. 618/2012 (ATP 3 CLP)
	Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis),
	2003/15/CE (Seveso ter):
	German Water Hazard Class N.A.
	Restrictions related to the product or the substances contained
	according to Annex XVII Regulation (EC) 1907/2006 (REACH)
	and subsequent modifications:
	Restrictions related to the product: None
Chemical safety	Production of the Production o
assessment	No data available on this product.
16. OTHER INFORMATION	
Text of Hazard statements	H304- May be fatal if swallowed and enters airways.
in Section 3	H413- May cause long lasting harmful effects to aquatic life.

#### Macлo Gazpromneft ATF DX II

Revision 0 Revision date 25.09.2015

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DMSO: Dimethyl sulfoxide.

EC<sub>50</sub>: Half Maximal Effective Concentration.

EINECS: European Inventory of Existing Commercial Chemical Substances.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

LD<sub>50</sub>: Lethal Dose to 50 % of a test population.

LC<sub>50</sub>: Lethal Concentration to 50 % of a test population. PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

WEL: Workplace Exposure Limit.

## Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP)

Classification according to Regulation	Classification procedure
EC 1272/2006 (CLP)	
The product is not classified as dangerous	
according to Regulation EC 1272/2008	Calculation method.
(CLP).	

<b>Further information</b>	The information supplied in this Safety Data Sheet is designed
	only as guidance for the safe use, storage and handling of the
	product. This information is correct to the best of our knowledge
	and belief at the date of publication however no guarantee is made
	to its accuracy. This information relates only to the specific
	material designated and may not be valid for such material used in
	combination with any other materials or in any other process.
Revision	New version
-	