

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

Масло Gazpromneft Hydraulic HLPD-46

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY			
1.1. Product Identifier			
Product name	Масло Gazpromneft Hydraulic HLPD-46		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Description	Hydraulic oil		
1.3. Details of the supplier of	"Gazpromneft – lubricants", Ltd,		
the safety data sheet	14/3 Krzhizhanovskogo str. 117218, Moscow- Russia.		
	<u>Lubricants@gazprom-neft.ru</u>		
	Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time)		
	Fax +7 495 921-48-63		
Only Representative	REACHLaw Ltd.		
	Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland		
	Tel. +358(0) 9 412 3055		
	Email: sds@reachlaw.fi		
1.4. Emergency telephone	1-760-476-3962 (America)		
number	1-760-476-3961 (Europe, Middle East&Africa)		
	1-760-476-3960 (Asia Pacific):		
	Global Response Access Code: 333497		
2. HAZARDS IDENTIFICATION			
2.1. Classification of the substa	ance or mixture		
Regulation (EC) No	The product is not classified as dangerous according to Regulation		
1272/2008 (CLP):	EC 1272/2008 (CLP).		
2.2. Label elements:			
Regulation (EC) No	The product is not classified as dangerous according to Regulation		
1272/2008 (CLP):	EC 1272/2008 (CLP).		
	Special Provisions: EUH210: Safety data sheet available on		
	request.		
Adverse physicochemical,			
human health and			
environmental effects:	No other hazards		
Ingredient(s) with unknown			
acute toxicity:	None		
2.3 Other hazards			
	No Significant Hazard		
Further information	1 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		
	This substance/mixture does not meet the PBT/vPvB criteria of		
	REACH, annex XIII.		
3. COMPOSITION/INFORM			
3.1 Substances			
VII DUDBUILDES	Not applicable: this product is regulated as a mixture.		
	1 100 application this product is regulated as a minimate.		

3.2 Mixtures	(FC)	Nο	1272/2008
5.2 Mixtures ((LU)	110	12/2/2000

3.2 Mixtures (EC) No 1272/2008							
Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. (%w/w)	Classification	
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601- 36-0023	90-99	Product is not classified	
Alkyl phenol	-	Proprietary	-	Not Available	0.1-0.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Description							
				nined in this proording to IP 346		re a value of < 3% w	
Further informa	tion						
			Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.				
4. FIRST AID M							
4.1. Description	of first aid m		1, ,	C 1 : 11		1 , ,	
Inhalation				fresh air and k with water.	eep warm	and at rest.	
Eye contact							
Skin contact	Wash wit	th plenty o	f water and soa	ıp.			
Ingestion		Do not induce vomiting, get medical attention showing the SDS and label hazardous.			tion showing the SDS		
4.2. Most import	ant symptom	s and effec	ts, both ac	cute and delay	ed		
Inhalation		No further relevant information available.					
Eye contact		No furthe	No further relevant information available.				
Skin contact		No further relevant information available.					
Ingestion			No further relevant information available.				
4.3. Indication of	any immedi						
Sec			Seek medical attention if irritation or symptoms persist				
5. FIRE-FIGHT	ING MEASU	RES					
5.1. Extinguishin		Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO2); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.					
5.2. Special haza from the substan mixture		Burning produces irritating, toxic and obnoxious fumes. Combustion products highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion.					
5.3. Advice for fi	refighters	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.					

	Revision date 24.09.2016	
6. ACCIDENTAL RELEASE		
6.1. Personal precautions,	Eliminate all sources of ignition in vicinity of spilled material.	
protective equipment and	Ensure adequate ventilation of the working area. Surfaces	
emergency procedures	contaminated with the product will become slippery. Wear	
	personal protection equipment. See protective measures under	
	point 7 and 8.	
6.2. Environmental	Do not allow to enter into soil/subsoil. Do not allow to enter into	
precautions	surface water or drains. Retain contaminated washing water and	
•	dispose it. In case of entry into waterways, soil or drains, inform	
	the responsible authorities. Suitable material for taking up:	
	absorbing material, organic, sand.	
6.3. Methods and material	Use appropriate techniques such as applying noncombustible	
for containment and cleaning	absorbent materials or pumping. Sweep up. Transfer to suitable,	
up	labeled containers for disposal. Clean spillage area thoroughly	
	with plenty of water.	
6.4. Reference to other	See also section 8 and 13	
sections		
7. HANDLING AND STORAG	GE	
7.1. Precautions for safe	Avoid contact with skin and eyes, inhalation of vapors and mists.	
handling	Contaminated clothing should be changed before entering eating	
	areas. Do not eat or drink while working. See also section 8 for	
	recommended protective equipment.	
7.2. Conditions for safe	Keep in a cool, dry, well-ventilated area. Keep containers tightly	
storage, including any	closed. Stored in correctly labeled containers.	
incompatibilities		
7.3. Specific end use(s)	No further relevant information available.	
8. EXPOSURE CONTROLS/F	PERSONAL PROTECTION	
8.1. Control parameters		
Base oil - unspecified -	WEL 8-hr limit mg/m ³ : 5.4 (aerosol)	
lubricating oils		
8.2. Exposure controls		
8.2.1. Appropriate	Material should be handled in enclosed vessels and equipment, in	
engineering controls	which case general (mechanical) room ventilation should be	
	sufficient. Local exhaust ventilation or adequate ventilation should	
	be used at points where dust, mist, vapors or gases can escape into	
	the room air.	
8.2.2. Individual protection	Wear protective clothing. Personal protective equipment should	
measures:	conform to appropriate standards, be suitable for use, be kept in	
	good condition and properly maintained.	
Eye/face protection	Not needed for normal use. Anyway, operate according good	
	working practices.	
	In case of splashing, wear: approved safety goggles.	
Skin protection-Hand	Protection for skin: Use nitrile or neoprene gloves. Long sleeve	
protection	shirt is recommended. Wear a chemically protective when contact	
	with material may occur. Use neoprene or nitrile rubber boots	
	when necessary to avoid contaminating shoes. Launder	
	contaminated clothing before reuse.	
	Protection for hands: Not needed for normal use.	

Revision

Масло Gazpromneft Hydraulic HLPD-46

Revision date 24.09.2016 Use in ventilated area. Use respirator with a combination organic **Respiratory protection** vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. **Hygienic and Technical** Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product. measures 9. PHYSICAL AND CHEMICAL PROPERTIES Yellow liquid **Appearance** Petroleum odor Odour pН Not applicable < - 15 °C Pour point Initial boiling point and Not applicable boiling range Flash point > 210 °C (Cleveland Open Cup, ASTMD 92) Not applicable **Evaporation rate** 181 °C/231 °C Upper/lower flammability Not applicable Vapour density <0.01 kPa Vapour pressure Relative density Not determined Solubility in water Insoluble Partition coefficient: n-Not determined octanol/water **Auto-ignition temperature** > 341 °C **Decomposition temperature** Not applicable Viscosity (at 40 °C) $41,40-50,60 \text{ mm}^2/\text{s} (ASTM D 445)$ **Explosive properties** Not applicable Not determined **Oxidizing properties Volatile Organic compounds** Not applicable - VOCs Other information Not applicable **Miscibility Conductivity** Not applicable 10. STABILITY AND REACTIVITY 10.1. Reactivity This product has no significant hazards with respect to reactivity. Stable under normal conditions Stable under normal conditions. Will not decompose if stored and 10.2. Chemical stability used as recommended. Will not occur. Stable under normal conditions. 10.3. Passivity of hazardous reactions 10.4. Conditions to avoid Elevated temperatures, sparks and open flames. Strong oxidizing agents. 10.5. Incompatible materials Burning produces irritating, toxic and obnoxious fumes. 10.6. Hazardous decomposition products 11. TOXICOLOGICAL INFORMATION 11.1. Information on toxicological effects **Acute Toxicity of base oils** Acute oral/rat $LD_{50} > 5000 \text{ mg/kg}$ Acute dermal/rabbit LD₅₀ > 2000 mg/kg Acute inhalation/rat $LC_{50} > 5000 \text{ mg/m}^3$

Revision 1 Revision date 24.09.2016

Acute Toxicity of alkyl	Acute dermal/rabbit LD ₅₀ >2000 mg/kg		
phenol	Acute oral/rat LD ₅₀ : 8697 mg/kg		
Acute Toxicity of the mixture	Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	Avoid direct contact. Repeated or prolonged skin contact may		
	cause irritation. Contact with heated product may cause thermal		
	burns. Based on data from components or similar materials.		
Serious eye damage/irritation	Vapors may cause eye damage/irritation. Evaluation is based on		
	data from components or similar materials.		
Respiratory or skin	Skin: Products have not been tested. Evaluation has been made		
sensitization	through data of components.		
	Respiratory: No data available to indicate product or components		
	may be respiratory sensitizers.		
Carcinogenicity	This product contains mineral oils which are severely refined and		
	not considered to be carcinogenic under IARC. All components in		
	this product have been passed the test IP346 (DMSO extractible		
	compounds less than 3%).		
Germ cell mutagenicity	Not Applicable.		
Reproductive toxicity	Not Applicable		
STOT-single exposure	Not Applicable		
STOT-repeated exposure	Not Applicable		
Aspiration hazard	Not considered an aspiration hazard.		
12. ECOLOGICAL INFORMA			
12.1. Toxicity	Adopt good working practices, so that the product is not released		
	into the environment.		

List of components with eco-toxicological properties

List of C	omponents with	ceo tomicological	51 oper ties
Quantit	y Component	Ident. Numb.	Ecotox Infos
			EL ₅₀ a) Aquatic acute toxicity Daphnia magna, 48hr> 10000 mg/L 48h
90-99%	Base oil -	CAS: 74869-22-0	NOELR a) Aquatic acute toxicity Algae Algae> 100 mg/L 72h
	unspecified -	EINECS: 278-012-2	LL ₅₀ a) Aquatic acute toxicity Fish > 100 mg/L 96h
	lubricating oils		NOELR b) Aquatic chronic toxicity Daphnia magna, 21 days= 10mg/L
	_		NOELR b) Aquatic chronic toxicity Fish = 10 mg/L

Conclusion/Summary: Based on available data, the classification criteria are not met.

12.2. Persistence and	Dogo oil unangoified lubricating oils; non readily his degradable	
	Base oil - unspecified - lubricating oils: non-readily biodegradable.	
degradability		
12.3. Bio accumulative	No date is available on this product.	
potential	-	
12.4. Mobility in soil	Product floats on water (insoluble) and can entrape small	
	organisms. The product could easily disperse in soil. Products	
	have not been tested. Evaluation has been made through data of	
	components.	
12.5. Results of PBT and	No PBT Ingredients are present.	
vPvB assessment		
12.6. Other adverse effects	No components with environmental hazard properties.	
13. DISPOSAL CONSIDERATIONS		
13.1. Waste treatment methods		
Disposal methods	Dispose of in compliance with all local and national regulations.	
	Contact a licensed waste disposal company.	
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for	
	disposal or recycling.	

	Revision date 24.09.2016		
Further information	For disposal within the EC, the appropriate code according to the		
14. TRANSPORT INFORMA	European Waste Catalogue (EWC) should be used.		
	e meaning of transport regulations.		
14.1. UN number	Not applicable.		
	Not applicable.		
14.2. UN proper shipping name	Not applicable.		
14.3. Transport hazard	Not applicable.		
class(es)			
14.4. Packing group	Not applicable.		
14.5. Environmental hazards	Marine pollutant: No		
	Environmental Pollutant: No		
14.6. Special precautions for	Not applicable.		
user			
ADR/RID	The product is not classified as dangerous for carriage.		
IMDG	The product is not classified as dangerous for carriage.		
IATA	The product is not classified as dangerous for carriage.		
15. REGULATORY INFORM	ATION		
15.1. Safety, health and	Dir. 98/24/EC (Risks related to chemical agents at work)		
environmental	Dir. 2000/39/EC (Occupational exposure limit values)		
regulations/legislation	Dir. 2006/8/EC		
specific for the substance or	Regulation (EC) n. 1907/2006 (REACH)		
mixture	Regulation (EC) n. 1272/2008 (CLP)		
	Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013		
	Regulation (EU) n. 286/2011 (ATP 2 CLP)		
	Regulation (EU) n. 286/2011 (ATP 2 CLP)		
	Regulation (EU) n. 618/2012 (ATP 3 CLP)		
	Regulation (EU) n. 487/2013 (ATP 4 CLP)		
	Regulation (EU) n. 944/2013 (ATP 5 CLP)		
	Regulation (EU) n. 605/2014 (ATP 6 CLP)		
	Regulation (EU)2015/830		
	Provisions related to directive EU 2012/18 (Seveso III):		
	German Water Hazard Class. N.A.		
	Restrictions related to the product or the substances contained		
	according to Annex XVII Regulation (EC) 1907/2006 (REACH)		
	and subsequent modifications:		
	Restrictions related to the product: None		
Chemical safety assessment	No data available on this product.		
16. OTHER INFORMATION			
Text of Hazard statements in	H400 - Very toxic to aquatic life.		
Section 3	H410 - Very toxic to aquatic life with long lasting effects.		
Legend to abbreviations and	ADR: European Agreement concerning the International Carriage		
acronyms used in the safety	of Dangerous Goods by Road.		
data sheet:	AND: European Agreement concerning the International Carriage		
	of Dangerous Goods by Inland Waterways.		
	CAS: Chemical Abstracts Service (division of the American		
	Chemical Society).		
	CLP: Classification, Labeling, Packaging.		
	DMSO: Dimethyl sulfoxide.		
	EC ₅₀ : Half Maximal Effective Concentration.		

Revision 1 Revision date 24.09.2016

Legend to abbreviations and acronyms used in the safety data sheet:

EINECS: European Inventory of Existing Commercial Chemical Substances.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International

Air Transport Association" (IATA).

LD₅₀: Lethal Dose to 50 % of a test population.

LC₅₀: Lethal Concentration to 50 % of a test population. PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

WEL: Workplace Exposure Limit.

Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP)

Classification according to Regulation EC	Classification procedure
1272/2006 (CLP)	
The product is not classified as dangerous	
according to Regulation EC 1272/2008	Calculation method.
(CLP).	

Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
Revision 1	This document differs from the previous version in the following areas: 1.3. Company/undertaking identification 16. Regulatory information