

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/4

Масло M-10Г₂ЦС (M-10G₂CS)

Revision 1 Revision date 01.02.2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY				
Product name	Масло M-10Г ₂ ЦС (M-10G ₂ CS)			
Description	Engine oil			
Company	"Gazpromneft – lubricants", Ltd,			
	125A, Profsoyuznaya str.,			
	Moscow, 117647, Russia.			
	<u>Lubricants@gazprom-neft.ru</u>			
Telephone	+7 495 642-99-69 (between 9 AM and 6 PM Moscow time)			
Fax	+7 495 642-99-69			
Emergency telephone number	er 1-760-476-3962 (America)			
	1-760-476-3961 (Europe, Middle East&Africa)			
	1-760-476-3960 (Asia Pacific):			
	Global Response Access Code: 333497			
Only Representative	REACHLaw Ltd.			
	Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland			
	Tel. +358(0) 9 412 3055			
	Email: sds@reachlaw.fi			
2. HAZARDS IDENTIFICATION				
Main hazards	This product is not classified as dangerous according to			
	current European legislation (EEC/1999/45 and			
	EEC/67/548). No Significant Hazard.			

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical Name	Index No.	CAS	EINECS	REACH	Conc.	Classification
				Registration	(%	
				Number	w/w)	
Base oil - unspecified -	649-484-	74869-22-0	278-012-2	01-		DMSO < 3%
lubricating oils	00-0			2119495601-	60-65	(IP 346)
_				36-0023		
Base oil - unspecified -		64742-62-7	265-166-0	01-		DMSO < 3%
Residual oils	649-471-			2119480472-	30-35	(IP 346)
(petroleum), solvent-	00-X			38-0023		
dewaxed						
Zinc alkylditiophosphate		68649-42-3		05-	0.5-1	Xi; R37
				2119378131-		
				45-0000		

Масло M-10Γ₂ЦС (M-10G₂CS)

Revision 1 Revision date 01.02.2015

			_			date 01.02.2015
Chemical Name	Index No.	CAS	EINECS	REACH Registration Number	Conc. (% w/w)	Classification
Calcium alkylsalicylate			281-018-8	Not Available	1-10	Xi;R36/38
J J						N;R52/53
Calcium alkylsulfonate			294-232-1	Not Available	1-10	Xi;R36/38
						N;R52/53
4. FIRST AID MEA	SURES	Tal	 		22 1	
Skin contact		plenty of Seek med Repeated	soap and w dical advice or prolonged	to skin. Wash or vater. Remove of if irritation of exposure may c	contamin or sympt ause deri	ated clothes. toms persist. matitis.
Eye contact		of water medical ac	for 15 minudvice if irritat	eyes. Rinse im ites holding the ition or symptom	e eyelids s persist.	s open. Seek
Inhalation		May cause irritation to mucous membranes. Mexposed person to fresh air. If symptoms person medical assistance.				
Ingestion		May cause irritation to mucous membranes. DO N INDUCE VOMITING. Rinse mouth with water. S medical assistance immediately.				
5. FIRE-FIGHTING	MEASURI	ES				
Extinguishing media		Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO ₂); dry chemical; foam; sand; water spray). Do not use: water jet.				
Fire hazards	Burning produces irritating, toxic and obnoxious fumes.					
Protective equipment		Wear suitable respiratory equipment when necessary.				
6. ACCIDENTAL RE				- y - qp		
Personal precaution		Ensure add	ited with the	ation of the worl product will bec	ome slip	pery.
Environmental prec	autions	if safe.		o enter drains. P		
Clean up methods		Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.				
7. HANDLING AND	STORAGI	E				
Handling		Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.				
Storage		Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.				
8. EXPOSURE CON	TROLS/PE					<u> </u>
Exposure limits		Oil mist: 5 mg/m ³				
Engineering measur	es	Ensure adequate ventilation of the working area.				
Hand protection			resistant glov			
Eye protection		No special eye protection is normally required. Where				
_, c protection				ear safety glass		,, 11010
Protective equipment Wear protective clothing.						

Масло М-10 Γ_2 ЦС (М-10 G_2 СS)

Revision 1 Revision date 01.02.2015

	Revision date 01.02.2015		
9. PHYSICAL AND CHEMICA			
Description	Homogenous, viscous liquid with a slight characteristic mineral oil		
	odor.		
Flash point	> 210 °C		
Viscosity	10,0 – 11,0 mm ² /s at 100 °C		
Solubility	Soluble in hydrocarbons; Insoluble in water		
10. STABILITY AND REACTIVE			
Stability	Stable under normal conditions. Will not decompose if stored and used as recommended.		
Reactivity	May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. Hazardous polymerization will not occur		
11. TOXICOLOGICAL INFOR			
Acute Toxicity	No data available on this product.		
Skin corrosion/irritation	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.		
Serious eye damage /irritation	No irritation expected.		
Respiratory or skin	The product has not been tested. Evaluation has been made		
sensitisation	through data of components.		
Carcinogenicity	The product has not expected to be carcinogenic. It has not been tested; evaluation has been made through data of		
components. 12. ECOLOGICAL INFORMATION			
Ecotoxicity	This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.		
Persistence and degradability	Not readily biodegradable.		
Mobility in soil	Do net let product contaminate subsoil.		
Further information	Do not allow product to enter drains. The product has not been tested. Evaluation has been made through data of components.		
13. DISPOSAL CONSIDERATI	*		
General information	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.		
Disposal methods	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.		
14. TRANSPORT INFORMATI	ON		
ADR/RID	The product is not classified as dangerous for carriage.		
IMDG	The product is not classified as dangerous for carriage.		
IATA	The product is not classified as dangerous for carriage.		
15. REGULATORY INFORMA			
Labelling	Under the criteria of the directive EEC/67/548 (dangerous substances) and EEC/1999/45 (dangerous preparations): not		
	classified.		
Risk phrases	No Significant Hazard.		

Масло М-10 Γ_2 ЦС (М-10 G_2 СS)

Revision date 01.02.2015

16. OTHER INFORMATION				
Text of risk phrases in	R37 – Irritating to respiratory system.			
Section 3	R36/38 – Irritating to eyes and skin.			
	R52/53 – Harmful to aquatic organisms, may cause long-			
	term adverse effects in the aquatic environment.			
General information	Base oils passed the test IP 346 (DMSO extractible			
	compounds less than 3%).			
Further information	The information supplied in this Safety Data Sheet Is			
	designed only as guidance for the safe use, storage and			
	handling of the product. This information is correct to the			
	best of our knowledge and belief at the date of publication			
	however no guarantee is made to its accuracy. This			
	information relates only to the specific material designated			
	and may not be valid for such material used in combination			
	with any other materials or in any other process.			
Revision	This document differs from the previous version in the			
	following areas:			
	1 – Only representative			