

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/4

Масло Gazpromneft Super 10W-30

Revision 1 Revision date 01.02.2015

	Revision date 01.02.2013			
1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY				
Product name	Масло Gazpromneft Super 10W-30			
Description	Engine oil			
Company	"Gazpromneft – lubricants", Ltd,			
	125A, Profsoyuznaya str.,			
	Moscow, 117647, Russia.			
	<u>Lubricants@gazprom-neft.ru</u>			
Telephone	+7 495 642-99-69 (between 9 AM and 6 PM Moscow time)			
Fax	+7 495 642-99-69			
Emergency telephone number	1-760-476-3962 (America)			
G	1-760-476-3961 (Europe, Middle East&Africa)			
	1-760-476-3960 (Asia Pacific):			
	Global Response Access Code: 333497			
Only Representative	REACHLaw Ltd.			
•	Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland			
	Tel. +358(0) 9 412 3055			
	Email: sds@reachlaw.fi			
2. HAZARDS IDENTIFICATION	2. HAZARDS IDENTIFICATION			
Main hazards	This product is not classified as dangerous according to current			
	European legislation (EEC/1999/45 and EEC/67/548). No			
	Significant Hazard.			
	1			

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical Name	Index No.	CAS	EINECS	REACH Registration Number	Conc. (% w/w)	Classification
Base oil - unspecified - lubricating oils	649-484- 00-0	74869-22- 0	278-012-2	01- 2119495601- 36-0023	90-100	DMSO < 3% (IP 346)
Phosphorodithioic acid, mixed O,O-bis (1, 3- dimethylbutyl and iso- Pr) esters, zinc salts			283-392-8	01- 2119493626-26	0.5-1.0	Xi;R38 R41 N;R51/53

Масло Gazpromneft Super 10W-30

Revision 1 Revision date 01.02.2015

4. FIRST AID MEASURES	Revision date 01.02.2015		
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothes. Seek medical advice if irritation or symptoms persist. Repeated or prolonged exposure may cause dermatitis.		
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical advice if irritation or symptoms persist.		
Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air. If symptoms persist seek medical assistance.		
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Rinse mouth with water. Seek medical assistance immediately.		
5. FIRE-FIGHTING MEASURI	ES		
Extinguishing media	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO ₂); dry chemical; foam; sand; water spray). Do not use: water jet.		
Fire hazards	Burning produces irritating, toxic and obnoxious fumes.		
Protective equipment	Wear suitable respiratory equipment when necessary.		
6. ACCIDENTAL RELEASE MEA			
Personal precautions	Ensure adequate ventilation of the working area. Surfaces contaminated with the product will become slippery.		
Environmental precautions	Do not allow product to enter drains. Prevent further spillage if safe.		
Clean up methods	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.		
7. HANDLING AND STORAGE			
Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.		
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.		
8. EXPOSURE CONTROLS/PE			
Exposure limits	Oil mist: 5 mg/m ³		
Engineering measures	Ensure adequate ventilation of the working area.		
Hand protection	Chemical resistant gloves (PVC).		
Eye protection	In case of splashing, wear: approved safety goggles.		
Protective equipment	Wear protective clothing.		
9. PHYSICAL AND CHEMICA			
Description	Homogenous, viscous liquid with a slight characteristic mineral oil odor.		
Flash point	> 200 °C (Cleveland Open Cup)		
Viscosity	10,5-12,5 (at 100 °C, mm ² /s)		
Solubility	Insoluble in water		

Масло Gazpromneft Super 10W-30

Revision 1 Revision date 01.02.2015

10. STABILITY AND REACTIVE	VITY					
Stability	Stable under normal conditions. Will not decompose if					
· ·	stored and used as recommended.					
11. TOXICOLOGICAL INFORMATION						
Acute Toxicity	No data available on this product.					
Skin corrosion/irritation	Prolonged or repeated exposure may cause irritation to skin					
	and mucous membranes.					
Serious eye damage /irritation	No irritation expected.					
Respiratory or skin	The product has not been tested. Evaluation has been made					
sensitisation	through data of components.					
Carcinogenicity	The product has not expected to be carcinogenic. It has not					
	been tested; evaluation has been made through data of					
	components.					
12. ECOLOGICAL INFORMAT						
Ecotoxicity	This material is not expected to be harmful to aquatic					
	organisms. The product has not been tested. The statement					
	has been derived from the properties of the individual					
	components.					
Persistence and degradability	Not readily biodegradable.					
Mobility in soil	Do net let product contaminate subsoil.					
Further information	Do not allow product to enter drains. The product has not					
	been tested. Evaluation has been made through data of					
	components.					
13. DISPOSAL CONSIDERATI						
General information	Dispose of in compliance with all local and national					
	regulations. Contact a licensed waste disposal company.					
Disposal methods	For disposal within the EC, the appropriate code according					
	to the European Waste Catalogue (EWC) should be used.					
14 TDANSDODT INFORMATI	ON					
14. TRANSPORT INFORMATI ADR/RID						
IMDG	The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage.					
IATA						
	The product is not classified as dangerous for carriage.					
15. REGULATORY INFORMA						
Labelling	Under the criteria of the directive EEC/67/548 (dangerous substances) and EEC/1999/45 (dangerous preparations): not					
	classified.					
Risk phrases	No Significant Hazard.					
man purases	110 diginitoant mazara.					
16. OTHER INFORMATION						
Text of risk phrases in the	R38 – Irritating to skin.					
Section 3	R41 – Risk of serious damage to eyes.					
	R51/53 – Toxic to aquatic organisms, may cause long-term					
	adverse effects in the aquatic environment.					
	1					
General information	Base oils passed the test IP 346 (DMSO extractible					
	compounds less than 3%).					

Масло Gazpromneft Super 10W-30

Revision 1 Revision date 01.02.2015

Further information	The information supplied in this Safety Data Sheet Is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
Revision	This document differs from the previous version in the following areas: 1 – Only Representative