

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/7

Масло Gazpromneft Hydraulic HLP-32

	Revision date 05.09.2015
	THE SUBSTANCE/PREPARATION AND THE COMPANY
1.1. Product Identifier	
Product name	Масло Gazpromneft Hydraulic HLP-32
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Description	Hydraulic oil
1.3. Details of the supplier	"Gazpromneft – lubricants", Ltd,
of the safety data sheet	125A, Profsoyuznaya str.,
-	Moscow, 117647, Russia.
	Lubricants@gazprom-neft.ru
	Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time)
	Fax +7 495 921-48-63
Only Representative	REACHLaw Ltd.
	Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland
	Tel. +358(0) 9 412 3055
	Email: sds@reachlaw.fi
1.4. Emergency telephone	1-760-476-3962 (America)
number	1-760-476-3961 (Europe, Middle East&Africa)
	1-760-476-3960 (Asia Pacific):
	Global Response Access Code: 333497
2. HAZARDS IDENTIFICA	ATION
2.1. Classification of the sub	ostance or mixture
Regulation (EC) No	The product is not classified as dangerous according to Regulation
1272/2008 (CLP):	EC 1272/2008 (CLP).
2.2. Label elements:	
Regulation (EC) No	The product is not classified as dangerous according to Regulation
1272/2008 (CLP):	EC 1272/2008 (CLP).
· · · ·	Special Provisions: EUH210: Safety data sheet available on
	request.
Adverse physicochemical,	
human health and	
environmental effects:	No other hazards
Ingredient(s) with	
unknown acute toxicity:	None
2.3 Other hazards	
	No Significant Hazard
Further information	
	This substance/mixture does not meet the PBT/vPvB criteria of
	REACH, annex XIII.
3 COMPOSITION/INFOD	MATION ON INGREDIENTS
	MATION ON INGREDIENTS
3.1 Substances	Not applicable: this product is regulated as a mixture.
	i not applicable, this product is regulated as a mixture.

Revision 1 Revision date 05.09.2015

3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. (%w/w)	Classification	
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601- 36-0023	90-99	Product is not classified	
Zinc alkyl dithiophosphate	-	68649-42-3	272-028-3	Not Available	0,5-1.0	Eye Dam. 1, H318 Aquatic Chronic 2, H411	
Alkyl phenol	-	Proprietary	-	Not Available	0.1-0.5	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Description						11110	
				ed in this produc ding to IP 346/9		alue of $< 3\%$ w	
Further info	rmation						
			Il text for all Hazard statements, mentioned in this section, are played in Section 16.				
4. FIRST AID MEASURES							
4.1. Descript	ion of first ai	d measures					
Inhalation	halation		Remove casualty to fresh air and keep warm and at rest.				
Eye contact	act W		Wash immediately with water.				
Skin contact				sh with plenty of water and soap.			
Ingestion			o not induce vomiting, get medical attention showing the SDS d label hazardous.				
4.2. Most im	portant symp	otoms and ef	ms and effects, both acute and delayed				
Inhalation		No furth	No further relevant information available.				
Eye contact No			No further relevant information available.				
Skin contact		No furth	No further relevant information available.				
Ingestion		No furth	er relevant i	nformation avail	able.		
4.3. Indicatio	on of any imr	nediate med	ical attentio	on and special t	reatment	needed	
	Seek medical attention if irritation or symptoms persist				s persist		
5. FIRE-FIG							
5.1. Extingui	shing media	condition water sp	Use extinguishing media appropriate to the surrounding conditions (carbon dioxide (CO2); dry chemical; foam; sa water spray). Extinguishing media which must not be used safety reasons: none in particular.			mical; foam; sand;	
5.2. Special I arising from or mixture		e Combust A compl carbon	tion product ex mixture of monoxide, nds will b	of airborne solid carbon dioxid	ent on con ls, liquids e and u	obnoxious fumes. nbustion conditions. and gases including nidentified organic material undergoes	

	Revision date 05.09.2015
5.3. Advice for firefighters	Wear suitable respiratory equipment when necessary. Do not enter
	any enclosed or confined fire space without proper protective
	equipment, including self-contained breathing apparatus. Collect
	contaminated fire extinguishing water separately. This must not be
	discharged into drains. Move undamaged containers from
	immediate hazard area if it can be done safely.
6. ACCIDENTAL RELEAS	-
6.1. Personal precautions,	Eliminate all sources of ignition in vicinity of spilled material.
protective equipment and	Ensure adequate ventilation of the working area. Surfaces
emergency procedures	contaminated with the product will become slippery. Wear
emergency procedures	personal protection equipment. See protective measures under
	point 7 and 8.
6.2. Environmental	Do not allow to enter into soil/subsoil. Do not allow to enter into
precautions	surface water or drains. Retain contaminated washing water and
precuutions	dispose it. In case of entry into waterways, soil or drains, inform
	the responsible authorities. Suitable material for taking up:
	absorbing material, organic, sand.
6.3. Methods and material	Use appropriate techniques such as applying noncombustible
for containment and	absorbent materials or pumping. Sweep up. Transfer to suitable,
cleaning up	labeled containers for disposal. Clean spillage area thoroughly
	with plenty of water.
6.4. Reference to other	See also section 8 and 13
sections	
7. HANDLING AND STOR	
7.1. Precautions for safe	Avoid contact with skin and eyes, inhalation of vapors and mists.
handling	Contaminated clothing should be changed before entering eating
	Large De not out on drimly while weathing Vee also section & for
	areas. Do not eat or drink while working. See also section 8 for
	recommended protective equipment.
7.2. Conditions for safe	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly
storage, including any	recommended protective equipment.
storage, including any incompatibilities	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
storage, including any	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly
storage, including any incompatibilities 7.3. Specific end use(s)	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified -	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available.
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol)
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate	 recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m³: 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Wear protective clothing. Personal protective equipment should
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures:	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Wear protective clothing. Personal protective equipment should
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
storage, including any incompatibilities 7.3. Specific end use(s) 8. EXPOSURE CONTROL 8.1. Control parameters Base oil - unspecified - lubricating oils 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures:	recommended protective equipment. Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers. No further relevant information available. S/PERSONAL PROTECTION WEL 8-hr limit mg/m ³ : 5.4 (aerosol) Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Not needed for normal use. Anyway, operate according good

	Revision date 05.09.2015
Skin protection-Hand	Protection for skin: Use nitrile or neoprene gloves. Long sleeve
protection	shirt is recommended. Wear a chemically protective when contact
	with material may occur. Use neoprene or nitrile rubber boots
	when necessary to avoid contaminating shoes. Launder
	contaminated clothing before reuse.
	Protection for hands: Not needed for normal use.
Respiratory protection	Use in ventilated area. Use respirator with a combination organic
	vapor and high efficiency filter cartridge just if recommended
	exposure limit is exceeded. Use self-contained breathing apparatus
	for entry into confined space, for other poorly ventilated areas and
	for large spill clean-up sites.
Hygienic and Technical	Wash thoroughly after handling this product. Do not eat, drink or
measures	smoke when using this product.
9. PHYSICAL AND CHEM	
Appearance	Yellow liquid
Odour	Petroleum odor
pH	Not applicable
Pour point	< - 30 °C
Initial boiling point and	Not applicable
boiling range	
Flash point	> 200 °C °C (Cleveland Open Cup, ASTMD 92)
Evaporation rate	Not applicable
Upper/lower flammability	192 °C / 234 °C
Vapour density	Not applicable
Vapour pressure	<0.01 kPa
Relative density	<880 kg/m ³ (20 °C)
Solubility in water	Insoluble
Partition coefficient: n-	Not determined
octanol/water	
Auto-ignition temperature	> 346 °C
Decomposition	Not applicable
temperature	
Viscosity (at 40 ⁰ C)	41,40-50,60 mm ² /s (ASTM D 445)
Explosive properties	Not applicable
Oxidizing properties	Not determined
Volatile Organic	Not applicable
compounds - VOCs	
Other information	I
Miscibility	Not applicable
Conductivity	Not applicable
10. STABILITY AND REA	
10.1. Reactivity	This product has no significant hazards with respect to reactivity.
10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions. Will not decompose if stored and
2012 Chemical Stability	used as recommended.
10.3. Passivity of	Will not occur. Stable under normal conditions.
hazardous reactions	
10.4. Conditions to avoid	Elevated temperatures, sparks and open flames.
iven conditions to avoid	1 210 rated temperatures, sparks and open numes.

			Revision date 05.09.2015		
	ompatible		Strong oxidizing agents.		
material	5				
10.6. Haz	zardous		Burning produces irritating, toxic and obnoxious fumes.		
decompo	sition products	5			
11. TOX	ICOLOGICAI	INF	ORMATION		
11.1. Inf	ormation on to:	xicolo	ogical effects		
Acute To	oxicity of base of	oils	Acute oral/rat $LD_{50} > 5000 \text{ mg/kg}$		
	•		Acute dermal/rabbit $LD_{50} > 2000 \text{ mg/kg}$		
			Acute inhalation/rat $LC_{50} > 5000 \text{ mg/m}^3$		
Acute T	oxicity of the		Based on available data, the classification criteria are not met.		
mixture	·				
Skin cor	rosion/irritatio	n	Avoid direct contact. Repeated or prolonged skin contact may		
			cause irritation. Contact with heated product may cause thermal		
			burns. Based on data from components or similar materials.		
Serious of	eve		Vapors may cause eye damage/irritation. Evaluation is based on		
	irritation		data from components or similar materials.		
	ory or skin		Skin: Products have not been tested. Evaluation has been made		
sensitiza			through data of components.		
Sensiella			Respiratory: No data available to indicate product or components		
			may be respiratory sensitizers.		
Carcino	venicity		This product contains mineral oils which are severely refined and		
Carcino	Semercy		not considered to be carcinogenic under IARC. All components in		
			this product have been passed the test IP346 (DMSO extractible		
			compounds less than 3%).		
Corm co	ll mutagenicity		Not Applicable.		
	ictive toxicity		Not Applicable		
	ingle exposure		Not Applicable		
	epeated exposu on hazard		Not Applicable		
L			Not considered an aspiration hazard.		
	LOGICAL INI				
12.1. Tox	acity		Adopt good working practices, so that the product is not released		
T • 4 0			into the environment.		
			-toxicological properties		
Quantity	Component	la	Image: Berlin Strength and Strengt and Strenge and Strength and Strength and Strength and Strength		
90-99%	Base oil -	CAS	S: 74869-22-0 NOELR a) Aquatic acute toxicity Algae Algae> 100 mg/L 72h		
	unspecified -	EINE	ECS: 278-012-2 LL_{50} a) Aquatic acute toxicity Fish > 100 mg/L 96h		
	lubricating oils		NOELR b) Aquatic chronic toxicity Daphnia magna, 21 days= 10mg/L NOELR b) Aquatic chronic toxicity Fish = 10 mg/L		
Conclusi	on/Summary:]	Based	d on available data, the classification criteria are not met.		
	sistence and		Base oil - unspecified - lubricating oils: non-readily biodegradable.		
degradal	bility				
			No date is available on this product.		
potential					
12.4. Mobility in soil			Product floats on water (insoluble) and can entrape small		
			organisms. The product could easily disperse in soil. Products		
			have not been tested. Evaluation has been made through data of		
			components.		
12.5. Res	ults of PBT and		No PBT Ingredients are present.		
vPvB assessment					
	ner adverse effe	ects	No components with environmental hazard properties.		
12.0.01	ier uuverse elle		re componente tran en thomateman nazara properties.		

13. DISPOSAL CONSIDERATIONS			
13.1. Waste treatment methods			
Disposal methods	Dispose of in compliance with all local and national regulations.		
	Contact a licensed waste disposal company.		
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for		
	disposal or recycling.		
Further information	For disposal within the EC, the appropriate code according to the		
	European Waste Catalogue (EWC) should be used.		
14. TRANSPORT INFORM	IATION		
Not classified as dangerous in	the meaning of transport regulations.		
14.1. UN number	Not applicable.		
14.2. UN proper shipping	Not applicable.		
name			
14.3. Transport hazard	Not applicable.		
class(es)			
14.4. Packing group	Not applicable.		
14.5. Environmental	Marine pollutant: No		
hazards	Environmental Pollutant: No		
14.6. Special precautions	Not applicable.		
for user			
ADR/RID	The product is not classified as dangerous for carriage.		
IMDG	The product is not classified as dangerous for carriage.		
IATA	The product is not classified as dangerous for carriage.		
15. REGULATORY INFOR			
15.1. Safety, health and	Dir. 98/24/EC (Risks related to chemical agents at work)		
environmental	Dir. 2000/39/EC (Occupational exposure limit values)		
regulations/legislation	Dir. 2006/8/EC		
specific for the substance	Regulation (EC) n. 1907/2006 (REACH)		
or mixture	Regulation (EC) n. 1272/2008 (CLP)		
	Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013		
	Regulation (EU) n. 453/2010 (Annex I)		
	Regulation (EU) n. 286/2011 (ATP 2 CLP)		
	Regulation (EU) n. 618/2012 (ATP 3 CLP) Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis),		
	2003/15/CE (Seveso ter):		
	German Water Hazard Class N.A.		
	Restrictions related to the product or the substances contained		
	according to Annex XVII Regulation (EC) 1907/2006 (REACH)		
	and subsequent modifications:		
	Restrictions related to the product: None		
Chemical safety			
assessment	No data available on this product.		
16. OTHER INFORMATIC			
Text of Hazard statements	H315 - Causes skin irritation.		
in Section 3	H318 - Causes serious eye damage.		
	H400 - Very toxic to aquatic life.		
	H410 - Very toxic to aquatic life with long lasting effects.		
	H411 - Toxic to aquatic life with long lasting effects.		

Revision 1

Revision date 05.09.2015

Legend to abbreviations	ADR: European Agreement concerning the International Carriage
and acronyms used in the	of Dangerous Goods by Road.
safety data sheet:	AND: European Agreement concerning the International Carriage
	of Dangerous Goods by Inland Waterways.
	CAS: Chemical Abstracts Service (division of the American
	Chemical Society).
	CLP: Classification, Labeling, Packaging.
	DMSO: Dimethyl sulfoxide.
	EC50: Half Maximal Effective Concentration.
	EINECS: European Inventory of Existing Commercial Chemical
	Substances.
	IATA: International Air Transport Association.
	IATA-DGR: Dangerous Goods Regulation by the "International
	Air Transport Association" (IATA).
	LD50: Lethal Dose to 50 % of a test population.
	LC50: Lethal Concentration to 50 % of a test population.
	PBT: Persistent, Bioaccumulative and Toxic substance.
	vPvB: Very Persistent and Very Bioaccumulative.
	WEL: Workplace Exposure Limit.

Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP)

Classification according to Regulation EC 1272/2006 (CLP)	Classification procedure
The product is not classified as dangerous	
according to Regulation EC 1272/2008	Calculation method.
(CLP).	

Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
Revision 1	This document differs from the previous version in the following areas: 4 – First aid measures 8 – Exposure control/personal protection 11 – Toxicological information 12 – Ecological information
	16 – Other information