


# SAFETY DATA SHEET

## Gazpromneft Formwork Oil C 10

Revision  
0

Revision date  
31.08.,2023

<b>1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING</b>	
<b>1.1. Product Identifier</b>	
Trade name	Gazpromneft Formwork Oil C 10
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	
Recommended use	Industrial oil
<b>1.3. Details of the supplier of the safety data sheet</b>	
Manufacturer	"Gazpromneft - lubricants" LTD, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Email: Lubricants@gazprom-neft.ru Tel.: +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax: +7 495 921-48-63
Supplier	"Deny Trade" LTD, Office: Stara Zagora 6000, 92 Hristo Botev Str., 4th floor Warehouse: Zagora 6000, Kolyo Ganchev district, Agricultural aviation Tel./Fax: 042 606 899 service@maslagaz.com
<b>1.4. Emergency telephone</b>	
National emergency telephone	112
National Toxicological Information Center, MHAT and Emergency Medicine "N. I. Pirogov"	Emergency telephone / fax: +359 2 9154 409 Email: poison_centre@mail.orbitel.bg <a href="http://www.pirogov.bg">http://www.pirogov.bg</a>
<b>2. HAZARDS IDENTIFICATION</b>	
<b>2.1. Classification of the substance or mixture</b>	
Classification according to Regulation (EC) No. 1272/2008 (CLP)	Asp.Tox.1; H304
Further information	For the full text of the hazard statements and EU hazard statements: see SECTION 16
<b>2.2. Label elements</b>	
Labeling according to Regulation (EC) No. 1272/2008 (CLP)	Danger H304 May be fatal if swallowed and enters airways. P301+P310: IF SWALLOWED: Immediately call a POISONCENTER or doctor/physician. P331: Do NOT induce vomiting. P501: Dispose of contents/container in accordance with applicableregulations.

<b>Hazard pictograms</b>	
<b>Hazard statements</b>	Ingredient(s) with unknown acute toxicity: None
<b>2.3. Other hazards</b>	
<b>Other hazards</b>	No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$ . This substance/mixture does not meet the PBT/vPvB criteria of REACH, annex XIII.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

<b>Substances</b>	Not applicable: this product is regulated as a mixture.
-------------------	---

#### 3.2. Mixtures

CAS No.	EC No.	Index No.	REACH Registration No.	% [weight]	Substance name	Classification according to Regulation (EC) No 1278/2008 (CLP)
64742-54-7	265-157-1	649-467-00-8	01-2119484627-25-0079	90-95	Distillates (petroleum), hydrotreated heavy paraffinic	Asp. Tox. 1 H304
128-37-0	204-881-4		Not available	0.0-0.5	2,6-di-tert-butyl-p-cresol	Aquatic Chronic 1, H410
		-				
						Note: * L - The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London.
						Further information Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.

#### 4. FIRST AID MEASURES

##### 4.1. Description of first aid measures

Following inhalation	Do not induce vomiting, get medical attention showing the SDS and label with the hazardous. Treat symptomatically.
Following skin contact	Take off contaminated clothing and wash before re-use. Wash with soap and water. If skin irritation or rash occurs, get medical attention. Get medical attention if symptoms occur.
Following eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance. Remove contact lenses, if present and easy to do. Continue rinsing.
Following ingestion	May be fatal if swallowed and enters airways. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show container or label.

##### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation acute effects	No further relevant information available.
--------------------------	--

##### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician	Seek medical attention if irritation or symptoms persist.
--------------------	---

#### 5. FIREFIGHTING MEASURES

##### 5.1. Extinguishing media

Suitable extinguishing media	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Do not use water jet as an extinguisher, as this will spread the fire.
------------------------------	---

##### 5.2. Special hazards arising from the substance or mixture

Hazards from the substance or mixture	Burning produces irritating, toxic and obnoxious fumes. Combustion products highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion.
---------------------------------------	--

##### 5.3. Advice for firefighters

Special precautions for fire-fighters	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.
---------------------------------------	---

#### 6. ACCIDENTAL RELEASE MEASURES

##### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Protective equipment for non-emergency personnel</b>	Eliminate all sources of ignition in vicinity of spilled material. Ensure adequate ventilation of the working area. Surfaces contaminated with the product will become slippery. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. See protective measures under point 7 and 8.
---	---

## 6.2. Environmental precautions

<b>Environmental precautions</b>	Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.
----------------------------------	---

## 6.3. Methods and material for containment and cleaning up

## 6.4. Reference to other sections

<b>Reference to other sections</b>	See also section 8 and 13.
------------------------------------	----------------------------

# 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

<b>Protective measures</b>	Avoid contact with skin and eyes, inhalation of vapors and mists. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.
----------------------------	---

## 7.2. Conditions for safe storage, including any incompatibilities

<b>Technical measures and storage conditions</b>	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
--	--

## 7.3. Specific end use(s)

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

### List of components with OEL value

Component	OEL Type	Long Term mg/m <sup>3</sup>	Long Term ppm	Short Term mg/m <sup>3</sup>	Short Term ppm	Behaviour	Note
Distillates (petroleum), hydrotreated heavy paraffinic	TWA			5 mg/m <sup>3</sup>			US. ACGIH Threshold Limit Values (02 2012)

## Predicted No Effect Concentration (PNEC) values

## Derived No Effect Level (DNEL)

## 8.2. Exposure controls

<b>Substance/mixture related measures to prevent exposure during identified uses</b>	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
<b>Structural measures to prevent exposure</b>	Individual protection measures: Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
<b>Eye and face protection</b>	Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

<b>Hand protection</b>	Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse.
<b>Respiratory protection</b>	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
<b>Organisational measures to prevent exposure</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Colour</b>	Yellow
<b>Odour</b>	Petroleum odor
<b>Pour point</b>	<-40 °C
<b>Boiling point or initial boiling point and boiling range</b>	Not determined
<b>Lower and upper explosion limit</b>	Not applicable
<b>Flash point</b>	>135 °C (Cleveland Open Cup, ASTM D 92)
<b>Auto-ignition temperature</b>	>165 °C
<b>Decomposition temperature</b>	Not applicable
<b>pH</b>	Not applicable
<b>Kinematic viscosity</b>	(at 40 °C) 8,00-12,00 mm <sup>2</sup> /s (ASTM D 445) (at 100 °C) - Not determined
<b>Solubility</b>	Insoluble
<b>Partition coefficient n-octanol/water (log value)</b>	Not applicable
<b>Vapour pressure</b>	Not applicable
<b>Density and/or relative density</b>	Not determined
<b>Relative vapour density</b>	Not applicable
<b>Oxidizing properties</b>	Not determined
<b>Volatile Organic compounds - VOCs</b>	Not applicable

### 9.2. Other information

<b>Formation of explosible dust/air mixtures</b>	Not applicable
<b>Evaporation rate</b>	Not applicable
<b>Miscibility</b>	Not applicable
<b>Conductivity</b>	Not applicable

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

<b>Reactivity</b>	This product has no significant hazards with respect to reactivity. Stable under normal conditions.
<b>10.2. Chemical stability</b>	
<b>Chemical stability</b>	Stable under normal conditions. Will not decompose if stored and used as recommended.
<b>10.3. Possibility of hazardous reactions</b>	
<b>Possibility of hazardous reactions</b>	Will not occur. Stable under normal conditions.
<b>10.4. Conditions to avoid</b>	
<b>Conditions to avoid</b>	Elevated temperatures, sparks and open flames.
<b>10.5. Incompatible materials</b>	
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>10.6. Hazardous decomposition products</b>	
<b>Hazardous decomposition products</b>	Burning produces irritating, toxic and obnoxious fumes.
<b>11. TOXICOLOGICAL INFORMATION</b>	
<b>11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008</b>	
<b>Products have not been tested. Evaluation has been made through data of components.</b>	
<b>Acute toxicity</b>	Products have not been tested. Evaluation has been made through data of components. Based on available data, the classification criteria are not met. Not classified.
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met. Not classified. Avoid direct contact. Repeated or prolonged skin contact may cause irritation. Contact with heated product may cause thermal burns. Based on data from components or similar materials.
<b>Serious eye damage/irritation</b>	Based on available data, the classification criteria are not met. Not classified. Vapors may cause eye damage/irritation. Evaluation is based on data from components or similar materials.
<b>Respiratory or skin sensitisation</b>	Inhalation: Based on available data, the classification criteria are not met. Not classified If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from components or similar materials.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met. Not classified.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met. Not classified. PCA content (IP 346) < 3 %
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met. Not classified.
<b>STOT-single exposure</b>	Based on available data, the classification criteria are not met. Not classified.
<b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met. Not classified.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met. Not classified.
<b>Toxicological information on main components of the mixture</b>	

Component	Toxicity	Information
Distillates (petroleum), hydrotreated heavy paraffinic CAS: 64742-54-7 EC: 265-157-1		Acute oral/rat LD50 > 5000 mg/kg Acute dermal/rabbit LD50 > 5000 mg/kg Acute inhalation/rat LC50 = 5.53 mg/m <sup>3</sup>
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4		Acute oral/rat LD50 > 6000 mg/kg Acute dermal/rat LD50 > 2000 mg/kg
Endocrine disrupting properties.		No endocrine disruptor substances present in concentration >= 0.1%

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

<b>Acute (short-term) toxicity</b>	Dispose in accordance with applicable regulations, avoid release to the environment. Eco-toxicological information: Not classified for environmental hazards.
------------------------------------	--

### List of components with eco-toxicological properties

Component	Identification number	Ecotoxicological information
Distillates (petroleum), hydrotreated heavy paraffinic	CAS: 64742-54-7 EC: 265-157-1	Quantity - 70-100% EL50 a) Aquatic acute toxicity Daphnia magna > 10000 mg/L 48h LL50 a) Aquatic acute toxicity Fish Pimephales promelas > 100 mg/L 96h NOELR b) Aquatic chronic toxicity Algae Pseudokirchneriella subcapitata >= 100 mg/L 48h NOELR b) Aquatic chronic toxicity Daphnia magna = 10mg/L 21 days NOELR b) Aquatic chronic toxicity Fish Oncorhynchus mykiss = 1000 mg/L 14days
2,6-di-tert-butyl-p-cresol	CAS: 128-37-0 EC: 204-881-4	Quantity - 0,1-0,2% LC50 a) Aquatic acute toxicity Fish, 96h: = 0,199 mg/l EC50 a) Aquatic acute toxicity Daphnia magna, 48h: = 0,48 mg/l NOEC b) Aquatic chronic toxicity Fish, 30d: = 0,053 mg/l NOEL b) Aquatic chronic toxicity Daphnia magna, 21d: = 0,069 mg/l

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

<b>Bioconcentration factor (BCF)</b>	No additional information available
--------------------------------------	-------------------------------------

### 12.4. Mobility in soil

<b>Known or predicted distribution to environmental compartments</b>	Product floats on water (insoluble) and can entrap small organisms. The product could easily disperse in soil. Products have not been tested. Evaluation has been made through data of components.
--	--

### 12.5. Results of PBT and vPvB assessment

<b>Results of PBT and vPvB assessment</b>	No PBT, vPvB substances present in concentration >= 0.1%.
---	---

### 12.6. Endocrine disrupting properties

<b>Endocrine disrupting properties</b>	No endocrine disruptor substances present in concentration >= 0.1%
--	--

**12.7. Other adverse effects**

<b>Other adverse effects</b>	No components with environmental hazard properties.
------------------------------	---

**12.8. Additional information**

<b>Additional information</b>	Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product residue, which may exhibit hazards of product.
-------------------------------	---

**13. DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods****14. TRANSPORT INFORMATION****14.1. UN number or ID number**

<b>UN number or ID number</b>	UN number - ADR/RID, IMDG, IATA - Not applicable
-------------------------------	--

**14.2. UN proper shipping name**

<b>UN proper shipping name</b>	UN proper shipping name - ADR/RID, IMDG, IATA - Not applicable
--------------------------------	--

**14.3. Transport hazard class(es)**

<b>Transport hazard class(es)</b>	UN proper shipping name - ADR/RID, IMDG, IATA - Not applicable
-----------------------------------	--

**14.4. Packing group**

<b>Packing group</b>	Packing group - ADR/RID, IMDG, IATA - Not applicable
----------------------	--

**14.5. Environmental hazards**

<b>Environmental hazards</b>	Environmental hazards - No
------------------------------	----------------------------

**14.6. Special precautions for user**

<b>Special precautions for user</b>	Не е приложимо.
-------------------------------------	-----------------

**14.7. Maritime transport in bulk according to IMO instruments**

<b>Maritime transport in bulk according to IMO instruments</b>	Not applicable.
--	-----------------

**15. REGULATORY INFORMATION**

<b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</b>
---



<b>EU regulations</b>	Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) 2015/830 Provisions related to directive EU 2012/18 (Seveso III): German Water Hazard Class. Class 1: slightly hazardous for water. Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: None Restrictions related to the substances contained: 28, 30 Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.
-----------------------	---

## 15.2. Chemical Safety Assessment

<b>Chemical Safety Assessment</b>	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.
-----------------------------------	--

## 16. OTHER INFORMATION

## Other information

Hazard class and category Description  
Asp. Tox. 1 Aspiration hazard, Category 1  
Text of Hazard statements in  
Section 3  
H400 – Very toxic to aquatic life.  
H410 – Very toxic to aquatic life with long lasting effects.  
Legend to abbreviations and acronyms used in the safety  
data sheet:  
ACGIH: American Conference of Governmental Industrial  
Hygienists  
ADR: European Agreement concerning the International  
Carriage of Dangerous Goods by Road.  
AND: European Agreement concerning the International  
Carriage of Dangerous Goods by Inland Waterways.  
BCF: Biological Concentration Factor.  
CAS: Chemical Abstracts Service (division of the American  
Chemical Society).  
CMR: Carcinogenic, Mutagenic and Reprotoxic.  
CSA: Chemical Safety Assessment.  
DMEL: Derived Minimal Effect Level.  
DMSO: Dimethyl sulfoxide.  
DNEL: Derived No Effect Level.  
EC50: Half Maximal Effective Concentration.  
EINECS (EC): European Inventory of Existing Commercial  
Chemical Substances.  
GHS: Globally Harmonized System of Classification and  
Labeling of Chemicals.  
IATA: International Air Transport Association.  
IC50: half maximal inhibitory concentration.  
IMDG: International Maritime Code for Dangerous Goods.  
LC50: Lethal concentration, for 50 percent of test  
population.  
LD50: Lethal dose, for 50 percent of test population.  
N.A.: Not Applicable.  
N/D: Not defined/ Not available.  
NA: Not available.  
NOAEL: No Observed Adverse Effect Level.  
OSHA: Occupational Safety and Health Administration.  
PBT: Persistent, Bioaccumulative and Toxic.  
PMT: Persistent, Mobile, Toxic).  
PNEC: Predicted No Effect Concentration.  
RID: Regulation Concerning the International Transport of  
Dangerous Goods by Rail.  
STOT: Specific Target Organ Toxicity.  
TWATLV: Threshold Limit Value for the Time Weighted  
Average 8 hour day. (ACGIH Standard).  
vPvB: Very Persistent, Very Bioaccumulative.  
vPvM: Very Persistent, Very Mobile.  
Further information:  
The information supplied in this Safety Data Sheet is  
designed only as guidance for the safe use, storage and  
handling of the product. This information is correct to the  
best of our knowledge and belief at the date of publication  
however no guarantee is made to its accuracy. This  
information relates only to the specific material designated  
and may not be valid for such material used in combination  
with any other materials or in any other  
process. Paragraphs modified from the previous revision:  
New version  
Revision 0 New GHS version.