# **SAFETY DATA SHEET**

# Gazpromneft Diesel Extra 15W-40

Revision 3 Revision date 29.12.2020

1.1. Product Identifier			
Trade name	GAZPROMNEFT DIESEL EXTRA 15W-40		
Trade code	Trade code: N.A. Registration Number N/A UFI: G310-W0NN-U00C-NJMX		
REACH registration number	N/A		
1.2. Relevant identified uses of the substance or mixture and uses a	dvised against		
Recommended use	Engine oil		
1.3. Details of the supplier of the safety data sheet			
Manufacturer	"Gazpromneft - lubricants" LTD, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Email: Lubricants@gazprom-neft.ru Tel.: +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax: +7 495 921-48-63		
Supplier	"Deny Trade" LTD, Office: Stara Zagora 6000, 92 Hristo Botev Str., 4th floor Warehouse: Zagora 6000, Kolyo Ganchev district, Agricultural aviation Tel./Fax: 042 606 899 service@maslagaz.com		
1.4. Emergency telephone			
National emergency telephone	112		
National Toxicological Information Center, MHAT and Emergency Medicine "N. I. Pirogov"	Emergency telephone / fax: +359 2 9154 409 Email: poison_centre@mail.orbitel.bg http://www.pirogov.bg		
2.1. Classification of the substance or mixture  Further information	For the full text of the hazard statements and EU hazard statements: see SECTION 16		
Turtifer information	To the fair text of the nazara statements and to nazara statements. See Sterior 10		
2.2 Lahel elements			
2.2. Label elements  Labeling according to Regulation (EC) No. 1272/2008 (CLP)	Eye Irrit. 2 Causes serious eye irritation.  Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)  Hazard pictograms	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.		
	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)  Hazard pictograms  Signal word  Hazard statements	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.  Warning  H319 Causes serious eye irritation.  H412 Harmful to aquatic life with long lasting effects. P264 Wash hands Thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.P501 Dispose of		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)  Hazard pictograms  Signal word  Hazard statements  Special Provisions	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.  Warning  H319 Causes serious eye irritation.  H412 Harmful to aquatic life with long lasting effects. P264 Wash hands Thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.P501 Dispose of contents/container in accordance with applicable regulations.		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)  Hazard pictograms  Signal word  Hazard statements  Special Provisions  2.3. Other hazards	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.  Warning  H319 Causes serious eye irritation.  H412 Harmful to aquatic life with long lasting effects. P264 Wash hands Thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contactlenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.P501 Dispose of contents/container in accordance with applicable regulations.		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)  Hazard pictograms  Signal word  Hazard statements  Special Provisions  2.3. Other hazards	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.  Warning  H319 Causes serious eye irritation.  H412 Harmful to aquatic life with long lasting effects. P264 Wash hands Thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.P501 Dispose of contents/container in accordance with applicable regulations.  Special provisions according to Annex XVII of REACH and subsequent amendments: None		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)  Hazard pictograms  Signal word	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.  Warning  H319 Causes serious eye irritation.  H412 Harmful to aquatic life with long lasting effects. P264 Wash hands Thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.P501 Dispose of contents/container in accordance with applicable regulations.  Special provisions according to Annex XVII of REACH and subsequent amendments: None		
Labeling according to Regulation (EC) No. 1272/2008 (CLP)  Hazard pictograms  Signal word  Hazard statements  Special Provisions 2.3. Other hazards  Other hazards	Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  Adverse physicochemical, human health and environmental effects: No other hazards.  Warning  H319 Causes serious eye irritation.  H412 Harmful to aquatic life with long lasting effects. P264 Wash hands Thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.P501 Dispose of contents/container in accordance with applicable regulations.  Special provisions according to Annex XVII of REACH and subsequent amendments: None		

CAS No.	EC No.	Index No.	REACH Registration No.	% [weight]	Substance name	Classification according to Regulation (EC) No 1278/2008 (CLP)
74869-22-0	278-012-2		01-2119495601-36	≥ 90	BASE OIL-UNSPECIFIED LUBRICATING OIL	DECLL(*) - Substance classified in accordance with Note L, Annex VI of EC Regulation (EC) 1272/2008. The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.
Polymer				1-5	MINERAL OIL	Asp. Tox. 1, H304
				1-5	CALCIUM BRANCHED ALKYL PHENATE SULPHIDE (OVERBASED)	Aquatic Chronic 4, H413
270-608-0			01-2119493628-22	1-5	PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(ISO-BU ANDPENTYL) ESTERS, ZINC SALTS	Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 2, H411
283-392-8			01-2119493626-26	0.25-0.3	PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISOPR)ESTERS, ZINC SALTS	Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 2, H411
121158-58-5	310-154-3		01-2119513207-49	0.02-0.1	PHENOL, DODECYL-, BRANCHED	Skin Corr. 1C, H314; Eye Dam. 1, H318; Repr. 1B, H360; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:10, M-Acute:10

4. FIRST AID MEASURES			
4.1. Description of first aid measures			
Following inhalation	Remove casualty to fresh air and keep warm and at rest.		
Following skin contact	Immediately take off all contaminated clothing.  Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.  Wash thoroughly the body (shower or bath).  Remove contaminated clothing immediately and dispose off safely. After contact with skin, was immediately with soap and plenty of water.		
Following eye contact	After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time then consult an opthalmologist immediately.Protect uninjured eye.		
<b>Do not induce vomiting, get medical attention showing the SDS and label's haza</b>			
4.2. Most important symptoms and effects, both acute and dela			
Eye contact acute effects  Eye irritation Eye damages			
4.3. Indication of any immediate medical attention and special t	reatment needed		
Notes to physician	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).		
5. FIREFIGHTING MEASURES			
5.1. Extinguishing media			
Suitable extinguishing media	Water. Carbon dioxide (CO2).		
Unsuitable extinguishing media	None in particular.		
5.2. Special hazards arising from the substance or mixture			
Hazards from the substance or mixture	Do not inhale explosion and combustion gases. Burning produces heavy smoke.		
5.3. Advice for firefighters			
Special precautions for fire-fighters	Use suitable breathing apparatus .  Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  Move undamaged containers from immediate hazard area if itcan be done safely.		
	,		
6. ACCIDENTAL RELEASE MEASURES			
6.1. Personal precautions, protective equipment and emergency			
Protective equipment for non-emergency personnel	Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.		
6.2. Environmental precautions			
Environmental precautions	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  Retain contaminated washing water and dispose it.  In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  Suitable material for taking up: absorbing material, organic, sand.		
6.3. Methods and material for containment and cleaning up			
For containment	Suitable material for taking up: absorbing material, organic, sand.		
For cleaning up	Wash with plenty of water.		
6.4. Reference to other sections			
Reference to other sections	See also section 8 and 13.		
7. HANDLING AND STORAGE			
7.1. Precautions for safe handling			
Protective measures	Avoid contact with skin and eyes, inhaltion of vapours and mists.  Don't use empty container before they have been cleaned.  Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  Contamined clothing should be changed before entering eating areas.  Do not eat or drink while working.  See also section 8 for recommended protective equipment.		
7.2. Conditions for safe storage, including any incompatibilities			

Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must conforto the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.			
Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must confort to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must confort to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must confort to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must confort to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must confort to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Ensure replacement ventilation or other ventilation systems to maintain concentrations of substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must confort to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposure is adequately monitored. Wear protective clothing. Personal protective equipment must confo to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse. Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposu is adequately monitored. Wear protective clothing. Personal protective equipment must confo to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse. Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubbel. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposure is adequately monitored. Wear protective clothing. Personal protective equipment must confo to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse. Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
substances conveyed by air below their respective occupational exposure limits. All activities involving chemicals must be assessed for their health risks in order to ensure that the exposur is adequately monitored. Wear protective clothing. Personal protective equipment must confort to the appropriate standards, suitable for specific use and maintained in good condition.  Safety Glasses.  Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse. Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Use Nitrile or neoprene gloves. Long-sleeved garments are recommended. Wear protection against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
against chemical agents when contact with the material is foreseen. Use neoprene or nitrile boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
boots if necessary to avoid contaminating the shoes. Wash contaminated clothes before reuse Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubbei Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filt cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus to enter narrow spaces, in poorly ventilated areas and to clean areas where large quantities of product have been spilled.  Wash thoroughly after handling this product. Do not eat, drink or smoke when using this			
Liquid			
Viscous light brown			
characteristic			
<-30 °C			
N.A.			
N.A.			
>200 °C (392 °F) ( ASTM D92 (Cleveland Open Cup) )			
343.00 °C			
N.A.			
N.A.			
at 100°C: 14.00-16.00 mm2/s ( ASTM D445 )			
at 40°C (mm2/s): >20.50 ( ASTM D445 ) in water: Insoluble;			
in oil: N.A.			
N.A.			
N.A.			
884.00 kg/m3 ( ASTM D4052 @ 15°C )			
N.A.			
Stable under normal conditions			
Data wat Aveilable			
Data not Available.			
None			
None.			
Stable under normal conditions.			
None in particular.			
None.			

# 11. TOXICOLOGICAL INFORMATION

# 11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity	There is no toxicological data available on the mixture. Consider the individual concentration of
neute toxicity	each component to assess toxicological effects resulting from exposure to the mixture.
Skin corrosion/irritation	N.A.
Serious eye damage/irritation	N.A.
Respiratory or skin sensitisation	N.A.
Germ cell mutagenicity	N.A.
Carcinogenicity	N.A.
Reproductive toxicity	N.A.
Summary of evaluation of the CMR properties	N.A.
STOT-single exposure	N.A.
STOT-repeated exposure	N.A.
Aspiration hazard	N.A.
Toxicological information of the mixture	N.A.
Toxicological information on main components of the mixture	N.A.

# Toxicological information on main components of the mixture

Component	Toxicity	Information
BASE OIL-UNSPECIFIED LUBRICATING OIL		LD <sub>50</sub> Oral Rat > 5000.00000 mg/kg LD <sub>50</sub> Skin Rabbit > 2000.00000 mg/kg LC <sub>50</sub> Inhalation Rat > 5000.00000 mg/m3

## 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Acute (short-term) toxicity	Adopt good working practices, so that the product is not released into the environment.	
FISN	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	

#### List of components with eco-toxicological properties

Component	Identification number	Ecotoxicological information
BASE OIL-UNSPECIFIED LUBRICATING OIL	CAS: 74869-22- 0 EINECS:278-012-2	a) Остра токсичност за водни организми: EC50 Водорасли Scenedesmus quadricauda > 100.00000 mg/L - 3d a) Остра токсичност за водна среда: NOEC Daphnia Daphnia magna > 10.00000 mg/L - 21d a) Остра токсичност за водна среда: EC50 Daphnia Daphnia magna > 10.00000 mg/L - 21d a) Остра водна токсичност: EC50 Daphnia Daphnia magna > 10000.00000 mg/L a) Остра токсичност за водни организми: LC50 Риба дебелоглав миноу > 100.00000 mg/L - 4d
КАЛЦИЕВ ВЕРИЖЕН АЛКИЛ ФЕНАТ СУЛФИД (СВЪРХБАЗИРАН)	CAS: Polymer	в) Бактериална токсичност: EC50 утайка > 10000.00000 mg/L - 0.1d a) Остра токсичност за водни организми: NOEC Водорасли Scenedesmus quadricauda 1,80000 mg/L - 3d a) Остра токсичност за водни организми: EC50 Водорасли Scenedesmus quadricauda 24,00000 mg/L - 3d a) Остра токсичност за водна среда: NOEC Daphnia Daphnia magna 0,40000 mg/L - 21d a) Остра токсичност за водна среда: EC50 Daphnia Daphnia magna 0,80000 mg/L - 21d a) Остра токсичност: EC50 Daphnia daphnia magna 23.00000 mg/L - 2d a) Остра токсичност за водна среда: NOEC Daphnia daphnia magna 10,00000 mg/L - 2 дни а) Остра токсичност за водни организми: NOEC риба дъгова пъстърва 1,80000 mg/L - 4 дни а) Остра токсичност за водни организми: LC50 риба 46.00000 mg/L - 4 дни а) Остра токсичност за водни организми: LC50 риба 45.00000 mg/L - 4 дни
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(ISO-BU ANDPENTYL) ESTERS, ZINC SALTS  EINECS: 270-608-0		c) Bacteria toxicity : EC50 Sludge > 10000.00000 mg/L - 0.1d a) Aquatic acute toxicity : NOEC Algae Scenedesmus quadricauda 1.80000 mg/L - 3d a) Aquatic acute toxicity : EC50 Algae Scenedesmus quadricauda 24.00000 mg/L - 3d a) Aquatic acute toxicity : NOEC Daphnia Daphnia magna 0.40000 mg/L - 21d a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna 2.80000 mg/L -21d a) Aquatic acute toxicity : EC50 Daphnia daphnia magna 23.00000 mg/L - 2d a) Aquatic acute toxicity : NOEC Daphnia daphnia magna 23.00000 mg/L - 2d a) Aquatic acute toxicity : NOEC Daphnia daphnia magna 10.00000 mg/L - 2d a) Aquatic acute toxicity : NOEC Fish Rainbow Trout 1.80000 mg/L - 4d a) Aquatic acute toxicity : LC50 Fish Rainbow Trout 4.50000 mg/L - 4d
PHOSPHORODITHIOIC ACID, MIXED 0,0-BIS(1,3-DIMETHYLBUTYL AND ISO[PR)ESTERS, ZINC SALTS	EINECS: 283-392-8	c) Bacteria toxicity : EC50 Sludge > 1.00000 mg/L - 0.1d a) Aquatic acute toxicity : NOEC Algae Scenedesmus quadricauda 10.00000 mg/L - 3d a) Aquatic acute toxicity : EC50 Algae Scenedesmus quadricauda 21.00000 mg/L - 3d 0 Page n. of6 11 a) Aquatic acute toxicity : NOEC Daphnia Daphnia magna 0.40000 mg/L - 21d

# 12.2. Persistence and degradability

Component	Persitence/Degradability	Test	Duration	Value	Notes
BASE OIL-UNSPECIFIED LUBRICATING OIL	Non-readily biodegradable				
MINERAL OIL	Non-readily biodegradable		28d	31.000	OECD TG 301B
CALCIUM BRANCHED ALKYL PHENATE SULPHIDE (OVERBASED)	Non-readily biodegradable		28d		OECD TG 3001 B, 4.7- 10.8%, Inherent Sludge, 38.8%
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(ISO-BU AND PENTYL) ESTERS, ZINC SALTS	Non-readily biodegradable		28d	1.500	OECD TG 301B
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO[]PR)ESTERS, ZINC SALTS	Non-readily biodegradable		28d	1.500	OECD TG 301B

## 12.3. Bioaccumulative potential

Component	Test	Duration	Value	Notes
CALCIUM BRANCHED ALKYL PHENATE SULPHIDE (OVERBASED)	Bioaccumulative BCF - Bioconcentrantion factor Log Kow		2.200	
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(ISO-BU AND PENTYL) ESTERS, ZINC SALTS	Log Kow			

#### 12.4. Mobility in soil

12.4. Mobility in soil		
Known or predicted distribution to environmental compartments	N.A.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	No PBT Ingredients are present.	

## Results of PBT and vPvB assessment 12.6. Endocrine disrupting properties

#### 12.7. Other adverse effects

#### 12.8. Additional information

13. DISPOSAL CONSIDERATIONS			
13.1. Waste treatment methods			
Product/Packaging disposal	Recover if possible. In so doing, comply with the local and national regulations currentl force.		
14. TRANSPORT INFORMATION			
14.1. UN number or ID number			
UN number or ID number	N/A		
14.2. UN proper shipping name			
UN proper shipping name	N/A		
14.3. Transport hazard class(es)			
Transport hazard class(es)	N/A		
14.4. Packing group			
Packing group	N/A		
14.5. Environmental hazards			
Environmental hazards	Toxic ingredients quantity: 0.00 Very toxic ingredients quantity: 0.00 Marine pollutant: No Environmental Pollutant: No		
14.6. Special precautions for user			
Special precautions for user	N/A		
14.7. Maritime transport in bulk according to IMO instruments			
Maritime transport in bulk according to IMO instruments	N.A.		
15. REGULATORY INFORMATION			
15.1. Safety, health and environmental regulations/legislation specification specifica	ic for the substance or mixture		
EU regulations			
Wassergefährdungsklasse (water hazard class)	Class 1: slightly hazardous for water.		
Other regulations, restrictions and prohibition regulations	Restrictions related to the product: 3 Restrictions related to the substances contained: None		
15.2. Chemical Safety Assessment			
Chemical Safety Assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.		
16. OTHER INFORMATION			
TO OTHER IN ORPHITOR			

Code Description H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eve irritation. H360 May damage fertility or the unborn child in contact with skin and if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Classification according to Regulation (EC) Nr. 1272/2008 Classification procedure 3.3/2 Calculation method 4.1/C3 Calculation method This document was prepared by a competent person who has received appropriate training. Main bibliographic sources: ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated andconstitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This MSDS cancels and replaces any preceding release. Legend to abbreviations and acronyms used in the safety data sheet: ACGIH: American Conference of Governmental Industrial Hygienists ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ATE: Acute Toxicity Estimate ATEmix: Acute toxicity Estimate (Mixtures) BCF: Biological Concentration Factor BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand CAS: Chemical Abstracts Service (division of the American Chemical Society). CAV: Poison Center CE: European Community CLP: Classification, Labeling, Packaging. CMR: Carcinogenic, Mutagenic and Reprotoxic COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level. Other information **DPD: Dangerous Preparations Directive** DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association.

IATA-International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: Keep away from heat KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration. PSG: Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class. Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 2. HAZARDS IDENTIFICATION COMPOSITION/INFORMATION ON INGREDIENTS 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
 9. PHYSICAL AND CHEMICAL PROPERTIES 11. TOXICOLOGICAL INFORMATION 12. ECOLOGICAL INFORMATION
 15. REGULATORY INFORMATION

16. OTHER INFORMATION