SAFETY DATA SHEET

Gazpromneft Super 10W-40

Revision 3 Revision date 09.03.2020

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE CO	MPANY/UNDERTAKING			
1.1. Product Identifier				
Trade name	Gazpromneft Super 10W-40			
Trade code	N.A.			
CAS number	CAS 74896-22-0, CAS 64742-54-7			
EC number	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).			
1.2. Relevant identified uses of the substance or mixture and us	es advised against			
Recommended use	Engine oil			
Uses advised against	N.A.			
1.3. Details of the supplier of the safety data sheet				
Manufacturer	"Gazpromneft - lubricants" LTD, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Email: Lubricants@gazprom-neft.ru Tel.: +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax: +7 495 921-48-63			
Supplier	"Deny Trade" LTD, Office: Stara Zagora 6000, 92 Hristo Botev Str., 4th floor Warehouse: Zagora 6000, Kolyo Ganchev district, Agricultural aviation Tel./Fax: 042 606 899 service@maslagaz.com			
1.4. Emergency telephone				
National emergency telephone	112			
National Toxicological Information Center, MHAT and Emergency Medicine "N. I. Pirogov"	Emergency telephone / fax: +359 2 9154 409 Email: poison_centre@mail.orbitel.bg http://www.pirogov.bg			
2. HAZARDS IDENTIFICATION				
2.1. Classification of the substance or mixture				
Classification according to Regulation (EC) No. 1272/2008 (CLP)	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).			
Further information	For the full text of the hazard statements and EU hazard statements: see SECTION 16			
2.2. Label elements				
Labeling according to Regulation (EC) No. 1272/2008 (CLP)	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).			
Special Provisions	EUH210 Safety data sheet available on request.			
2.3. Other hazards	•			
Other hazards	No PBT Ingredients are present			
	•			
3. COMPOSITION/INFORMATION ON INGREDIENTS				
3.1. Substances				
Substances	Not applicable			

CAS No.	EC No.	Index No.	REACH Registration No.	% [weight]	Substance name	Classification according to Regulation (EC) No 1278/2008 (CLP)
74869-22-0	278-012-2		01-2119495601-36	70-80	BASE OIL-UNSPECIFIED LUBRICATING OILS	DECLL - Substance classified in accordance with Note L, Annex VI of EC Regulation (EC) 1272/2008. The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.
64742-54-7	265-157-1		01-2119484627-25-79	20-30	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	Asp. Tox. 1, H304, DECLL
	283-392-8		01-2119493626-26	0.5-1	PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISO[]PR)ESTERS, ZINC SALTS	Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 2, H411
36878-20-3	253-249-4		01-2119488911-28	0.1-0.25	BIS(NONYLPHENYL) AMINE	Aquatic Chronic 4, H413

3.2. Mixtures

4. FIRST AID MEASURES	
4.1. Description of first aid measures	
Following inhalation	Remove casualty to fresh air and keep warm and at rest.
Following skin contact	Wash with plenty of water and soap.

Following eye contact	Wash immediately with water.						
Following ingestion	Do not induce vomiting, get medical attention showing the SDS and label hazardous.						
4.2. Most important symptoms and effects, both acute and delayed							
Inhalation acute effects	N.A.						
Ingestion acute effects	N.A.						
Skin contact acute effects	N.A.						
Eye contact acute effects	N.A.						
Inhalation delayed effects	N.A.						
Ingestion delayed effects	N.A.						
Skin contact delayed effects	N.A.						
Eye contact delayed effects	N.A.						
4.3. Indication of any immediate medical attention and special							
	N.A.						
Notes to physician	N.A.						
5. FIREFIGHTING MEASURES							
5.1. Extinguishing media	Water Carbon diavide (CO.)						
Suitable extinguishing media	Water.Carbon dioxide (CO ₂).						
Unsuitable extinguishing media	None in particular.						
5.2. Special hazards arising from the substance or mixture							
Hazards from the substance or mixture	Do not inhale explosion and combustion gases.Burning produces heavy smoke.						
5.3. Advice for firefighters							
Special precautions for fire-fighters	Use suitable breathing apparatus .Collect contaminated fire extinguishing water separately. This must not be discharged into drains.Move undamaged containers from immediate hazard area if it can be done safely.						
6. ACCIDENTAL RELEASE MEASURES							
6.1. Personal precautions, protective equipment and emergence	av procedures						
	Wear personal protection equipment.Remove persons to safety.See protective measures						
Protective equipment for non-emergency personnel	under point 7 and 8.						
6.2. Environmental precautions	·						
Environmental precautions	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.Retain contaminated washing water and dispose it.In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.Suitable material for taking up: absorbing material, organic, sand						
6.3. Methods and material for containment and cleaning up							
For containment	Suitable material for taking up: absorbing material, organic, sand						
For cleaning up	Wash with plenty of water.						
6.4. Reference to other sections							
Reference to other sections	See also section 8 and 13						
7. HANDLING AND STORAGE							
7.1. Precautions for safe handling							
Protective measures	Avoid contact with skin and eyes, inhaltion of vapours and mists.Do not eat or drink while working.See also section 8 for recommended protective equipment.						
Measures to prevent fire	Conditions for safe storage, including any incompatibilitiesIncompatible materials:None in particular.Instructions as regards storage premises:Adequately ventilated premises.						
7.2. Conditions for safe storage, including any incompatibilities							
Further information on storage conditions None in particularIndustrial sector specific solutions:None in particular							
7.3. Specific end use(s)							
8. EXPOSURE CONTROLS/PERSONAL PROTECTION							
8.1. Control parameters							
List of components with OEL value							
Component OEL Type Long Term mg/	m³ Long Term ppm Short Term mg/m³ Short Term ppm Behaviour Note						
BASE OIL-UNSPECIFIEDLUBRICATING OILS ACGIH 5.400	8H (aerosol)						
Predicted No Effect Concentration (PNEC) values							
Predicted No Effect Concentration (PNEC) values							

Component	CAS No.	PNEC limit	Exposure Route	Exposure Frequency	Remark
BIS(NONYLPHENYL) AMINE		132000.000 mg/kg 13200.000 mg/kg	Fresh Water Soil (agricultural) Air Fresh Water Marine water sediments		

Derived No Effect Level (DNEL)

	Component	CAS No.	Worker Industry	Worker Prof	fessional	Consumers	Exposure Route	Exposure Frequency	Remark	
	BIS (NONYLPHENYL) AMINE	36878-20-3	Worker madsery	0.620 mg/kg	CSSIGNAL	Consumers	Human Dermal	Long Term, systemic effects	Remark	
	,,			4.370 mg/kg			Human Inhalation	Long Term, systemic effects		
						0.310 mg/kg 1.090 mg/kg	Human Dermal Human Inhalation	Long Term, systemic effects Long Term, systemic effects		
							Human Oral	Long Term, systemic effects		
<u> </u>	2. Exposure controls			•		•				
-	z. Exposure controls				Encure	renlacement v	entilation or other	er ventilation systems to maintain o	oncentrations	
								heirrespective occupational exposu		
	ubstance/mixture relate	ed measure	s to prevent expo	sure				assessed for their health risks in or		
dı	uring identified uses							monitored. Wear protective clothin theappropriate standards, suitable		
							n good condition.	theappropriate standards, suitable	for specific	
Ey	e and face protection				Safety C	Glasses.				
	<u> </u>				Use Nitr	ile or neoprer	ne gloves. Long-sl	eeved garments are recommended	l. Wear	
SI	kin protection				protecti	on against ch	emical agents wh	en contactwith the material is fore	seen. Use	
-	p . 0.000						ots if necessary t before reuse.	o avoid contaminating the shoes. V	Vash	
ш.	and protection					ded for norma				
	and protection							with a combination arganic vanera		
_								with a combination organic vapor a nended exposure limit is exceeded.		
Re	espiratory protection				containe	ed breathing a	apparatus to ente	r narrow spaces, in poorly ventilate		
							· · · · · · · · ·	product have been spilled.		
Sı	ubstance/mixture relate	ed measure	s to prevent expo	sure			r handling this pr	oduct. Do not eat, drink or smoke v	vhen using this	
					product	•				
Te	echnical measures to p	revent expo	osure		N.A.					
_	PHYSICAL AND CHEMI									
_	1. Information on basic	c physical a	nd chemical prope	erties						
Pl	hysical State				Liquid					
Co	olour				N.A.					
0	dour				N.A.					
Po	our point				< -35 °C					
В	oiling point or initial bo	iling point	and boiling range		N.A.					
FI	ammability				N.A.					
Lo	ower and upper explosi	on limit			N.A.					
FI	ash point				>=200 °C (392 °F) (ASTM D92 (Cleveland Open Cup))					
Αι	Auto-ignition temperature				>165.00 °C					
D	ecomposition temperat	ure			N.A.					
pl					N.A.					
÷						C: 13 50-15 0	0 mm²/s (ASTM I	D445)at 40 °C (mm²/s): >20.50 (A	STM D445	
Ki	inematic viscosity					c Viscosity: N		5115 /ac 10 °C (1111175). 5 20.30 (7	1311113	
Sc	olubility				N.A.					
Pa	artition coefficient n-oc	tanol/wate	r (log value)		N.A.					
Va	apour pressure				N.A.					
_	ensity and/or relative d	lensity			874.80	ka/m3 (ASTM	D4052 @ 15°C)			
_	elative vapour density	<u> </u>			N.A.	<i>3</i> , - (-				
_	2. Other information									
_	ubstance Groups releva	nt properti	ies		N.A.					
_	ormation of explosible				N.A.					
_	aporation rate	uust,un iiii	acui es		N.A.					
_	iscibility				N.A.					
_										
-	onductivity				N.A.					
7.	CTABILITY AND DEAC	TI\/ITV								
_	D. STABILITY AND REAC	TIVILI								
_	0.1. Reactivity				I					
_	eactivity				Stable u	inder normal	conditions			
_	0.2. Chemical stability				-					
_	nemical stability				Data no	t Available.				
_	0.3. Possibility of hazar		ions							
_	ossibility of hazardous				None.					
10	0.4. Conditions to avoid	i								
Co	onditions to avoid				Stable u	ınder normal	conditions.			
10	0.5. Incompatible mate	rials								
In	compatible materials				None in	particular.				
10	0.6. Hazardous decomp	osition pro	ducts		•					
_	azardous decompositio				None.					
	•									

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Toxicological information of the mixture

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture

Component	Toxicity	Information
BASE OIL - UNSPECIFIEDLUBRICATING OILS	,	LD ₅₀ Oral Rat > 5000.00000 mg/kg LD ₅₀ Skin Rabbit > 2000.00000 mg/kg LC ₅₀ Inhalation Rat > 5000.00000 mg/m³
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	,	LC_{s_0} Inhalation Rat = 5.53000 mg/l LD_{s_0} Skin Rabbit > 5000.00000 mg/kg LD_{s_0} Oral Rat > 5000.00000 mg/kg

12. ECOLOGICAL INFORMATION

12.1. Toxicity

List of components with eco-toxicological properties

Component	Identification number	Ecotoxicological information
BASE OIL-UNSPECIFIED LUBRICATING OILS		a) Aquatic acute toxicity : EL ₅₀ Daphnia Magna > 10000.00000 mg/L 48h a) Aquatic acute toxicity : NOELR Algae > 100.00000 mg/L 72h a) Aquatic acute toxicity : LL ⁵⁰ Fish > 100.00000 mg/L 96h b) Aquatic chronic toxicity : NOELR Daphnia Magna = 10.00000 mg/L - 21 days b) Aquatic chronic toxicity : NOELR Fish = 10.00000 mg/L
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC		a) Aquatic acute toxicity: EL_{50} Daphnia Daphnia magna > 10000.00000 mg/L 48h Based on data for a similar substance a) Aquatic acute toxicity: LL_{50} Fish Pimephales promelas > 100.00000 mg/L 96h Based on data for a similar substance b) Aquatic chronic toxicity: NOELR Algae Pseudokirchneriella subcapitata >= 100.00000 mg/L 48h Based on data for a similar substance b) Aquatic chronic toxicity: NOELR Daphnia Daphnia magna = 10.00000 mg/L Based on data for a similar substance - 21 days b) Aquatic chronic toxicity: NOELR Fish Oncorhynchus mykiss = 1000.00000 mg/L QSAR result - 14 days
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISOPR)ESTERS, ZINC SALT		a) Aquatic acute toxicity : LC_{50} Fish = 4.50000 mg/L 96h a) Aquatic acute toxicity : EC_{50} Worm = 23.00000 mg/L 48h a) Aquatic acute toxicity : EC_{50} Algae = 21.00000 mg/L 72h

12.2. Persistence and degradability

Component	Persitence/Degradability	Test	Duration	Value	Notes
BASE OIL-UNSPECIFIED LUBRICATING OILS	Non-readily biodegradable				
HYDROTREATED HEAVY PARAFFINIC	Non-readily biodegradable		28d		OECD 301F Test. Based on data for a similar substance.
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISOPR)ESTERS, ZINC SALTS		Stum	28d	1.500	%
BIS(NONYLPHENYL)AMINE	Non-readily biodegradable				1 % (28d)

12.3. Bioaccumulative potential

Component	Test	Duration	Value	Notes
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISOPR)ESTERS, ZINC SALTS	Log Kow	0.1d	0.600	%
BIS(NONYLPHENYL)AMINE	Kow - Partition coefficient		7.600	

12.4. Mobility in soil

Known or predicted distribution to environmental compartments	N.A.			
12.5. Results of PBT and vPvB assessment				
Results of PBT and vPvB assessment	No PBT Ingredients are present			
12.6. Endocrine disrupting properties				
12.7. Other adverse effects				
12.8. Additional information				

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

ther disposal recommendations	Recover if possible. In so doing, comply with the local and national regulations currently in force.
-------------------------------	--

14. TRANSPORT INFORMATION

14.1. UN Humber Of ID Humber	
UN number or ID number	N.A.

14.2. UN proper shipping name

UN proper shipping name N.A.

14.3. Transport hazard class(es)

Transport hazard class(es) N.A.

14.4. Packing group

Packing group N.A.

14.5. Environmental hazards

14.6. Special precautions for user

Special precautions for user

N.A.Road and Rail (ADR-RID):N.A.Air (IATA):N.A.Sea (IMDG):N.A.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk according to IMO instruments	N.A.				
15. REGULATORY INFORMATION					
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture					
EU regulations	Regulation (EC) n. 1907/2006 (REACH)Regulation (EC) n. 1272/2008 (CLP)Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013				
Restrictions on use	Dir. 2000/39/EC (Occupational exposure limit values)				
Other EU regulations	Regulation (EU) n. 286/2011 (ATP 2 CLP)Regulation (EU) n. 618/2012 (ATP 3 CLP)Regulation (EU) n. 487/2013 (ATP 4 CLP)Regulation (EU) n. 944/2013 (ATP 5 CLP)Regulation (EU) n. 605/2014 (ATP 6 CLP)Regulation (EU) n. 2016/918 (ATP 8 CLP)Regulation (EU) n. 2016/1179 (ATP 9 CLP)Regulation (EU) n. 2015/1221 (ATP 7 CLP)Regulation (EU)2015/830Dir. 98/24/EC (Risks related to chemical agents at work)				
Wassergefährdungsklasse (water hazard class)	Class 1: slightly hazardous for water.Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:Restrictions related to the product: 40Restrictions related to the substances contained: None				
Other regulations, restrictions and prohibition regulations	Provisions related to directive EU 2012/18 (Seveso III): N.A.				
15.2. Chemical Safety Assessment					
Chemical Safety Assessment	No Chemical Safety Assessment has been carried out for the mixture.				
16. OTHER INFORMATION					

H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. Code Hazard class and hazard category Description 3.10/1 Asp. Tox. 1 Aspiration hazard, Category 1 3.2/2 Skin Irrit. 2 Skin irritation, Category 2 3.3/1 Eye Dam. 1 Serious eye damage, Category 1 4.1/C2 Aquatic Chronic 2 Chronic (long term) aquatic hazard, category 2 4.1/C4 Aquatic Chronic 4 Chronic (long term) aquatic hazard, category 4 Using the calculation method for the specific hazard classes provided for in Regulation (EC) No 1272/2008, the substance / mixture is notclassified as hazardous. This document was prepared by a competent person who has received appropriate training Main bibliographic sources: ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold The information contained herein is based on our state of knowledge at the abovespecified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This MSDS cancels and replaces any preceding release. Legend to abbreviations and acronyms used in the safety data sheet: ACGIH: American Conference of Governmental Industrial Hygienists ADR: European Agreement concerning the International Carriage of Dangerous Goods by AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ATE: Acute Toxicity Estimate ATEmix: Acute toxicity Estimate (Mixtures) BCF: Biological Concentration Factor BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand CAS: Chemical Abstracts Service (division of the American Chemical Society). CAV: Poison Center CE: European Community CLP: Classification, Labeling, Packaging. CMR: Carcinogenic, Mutagenic and Reprotoxic COD: Chemical Oxygen Demand COV: Volatile Organic Compound Other information CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level. DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: Keep away from heat KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. PSG: Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class.

Standard).

TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH

Code Description

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.